

US00D641695S

(12) **United States Design Patent**  
**Wegener et al.**

(10) **Patent No.:** **US D641,695 S**  
(45) **Date of Patent:** **\*\* Jul. 19, 2011**

(54) **DEVICE CHARGER WITH DUAL FOLDING POWER PLUGS**

(75) Inventors: **Douglas Wegener**, Seattle, WA (US);  
**Jason Pan**, Temple City, CA (US);  
**Neguse W. Gebremikael**, Rancho Cucamonga, CA (US)

(73) Assignee: **T-Mobile USA, Inc.**, Bellevue, WA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/380,717**

(22) Filed: **Dec. 9, 2010**

(51) **LOC (9) Cl.** ..... **13-02**

(52) **U.S. Cl.** ..... **D13/108; D13/144**

(58) **Field of Classification Search** ..... D13/107–110,  
D13/118–119, 133, 144, 184, 199; D14/155,  
D14/251, 253, 432, 434, 435.1, 356; 320/107–115;  
439/131, 300, 620.01, 638, 668–670, 675,  
439/825; 363/146

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

5,901,056	A *	5/1999	Hung	.....	363/142
D456,349	S *	4/2002	Chuang	.....	D13/107
D543,940	S *	6/2007	Hussaini et al.	.....	D13/144
D574,833	S *	8/2008	Hussaini et al.	.....	D14/432
D585,825	S *	2/2009	Ji	.....	D13/108
D610,094	S *	2/2010	Ouimette et al.	.....	D13/144
D616,363	S *	5/2010	Weng	.....	D13/107
D628,152	S *	11/2010	Fujii et al.	.....	D13/108
D628,153	S *	11/2010	Fujii et al.	.....	D13/108
7,868,589	B2 *	1/2011	McSweyn et al.	.....	320/114
2008/0185990	A1 *	8/2008	Hsu	.....	320/103
2008/0284371	A1 *	11/2008	Hsu	.....	320/111

\* cited by examiner

*Primary Examiner* — Rosemary K Tarcza

(74) *Attorney, Agent, or Firm* — Lee & Hayes, PLLC

(57) **CLAIM**

The ornamental design for a device charger with dual folding power plugs, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of an illustrative device charger with dual folding power plugs taken from the top, front, and right, and illustrating a first orientation;

FIG. 2 is a perspective view similar to FIG. 1 but showing the device charger as it appears when the cord wings are in unfolded positions;

FIG. 3 is another perspective view of the device charger taken from the bottom, front, and left and illustrating a second orientation;

FIG. 4 is a perspective view similar to FIG. 3 but showing the device charger as it appears when the electrical contact prongs of the folding power plug and the car charger power plug are in unfolded positions;

FIG. 5 is a top plan view of the device charger of FIG. 1;

FIG. 6 is a top plan view similar to FIG. 5 but showing the device charger as it appears when the car charger power plug is in an unfolded position and the cord wings are in unfolded positions;

FIG. 7 is a bottom plan view of the device charger of FIG. 1; FIG. 8 is a bottom plan view similar to FIG. 7 but showing the device charger as it appears when the electrical contact prongs of the folding power plug, the car charger power plug, and the cord wings are in their respective unfolded positions; FIG. 9 is a front elevation view of the device charger of FIG. 1;


FIG. 10 is a front elevation view similar to FIG. 9 but showing the device charger as it appears when the electrical contact prongs of the folding power plug, the car charger power plug, and the cord wings are in their respective unfolded positions; FIG. 11 is a back elevation view of the device charger of FIG. 1;

FIG. 12 is a right side elevation view of the device charger of FIG. 1; and,

FIG. 13 is a left side elevation view of the device charger of FIG. 1.

The broken lines are directed to environment and are for illustrative purposes only. The broken lines form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**






FIG. 1




FIG. 2






FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13