



US00D641727S

(12) **United States Design Patent**  
**Krauss et al.**

(10) **Patent No.:** **US D641,727 S**

(45) **Date of Patent:** **\*\* Jul. 19, 2011**

(54) **HEADSET**

(75) Inventors: **Kevin M. Krauss**, Maynard, MA (US);  
**Adam A. Carr**, Marlborough, MA (US);  
**Michael E. Laude**, Upton, MA (US);  
**David H. Pitcher**, Worcester, MA (US);  
**Nathan David Schaal**, Cambridge, MA (US)

(73) Assignee: **Bose Corporation**, Framingham, MA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/365,879**

(22) Filed: **Jul. 16, 2010**

(51) **LOC (9) Cl.** ..... **14-01**

(52) **U.S. Cl.** ..... **D14/206**

(58) **Field of Classification Search** ..... D14/205,  
D14/206, 223; D29/112; 2/209; 181/129,  
181/130, 135; 379/430, 431, 433.01, 433.03;  
455/575.2, 575.3

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|           |     |         |               |         |
|-----------|-----|---------|---------------|---------|
| 3,104,398 | A * | 9/1963  | Palmaer       | 2/209   |
| D254,183  | S * | 2/1980  | Doodson       | D14/205 |
| D255,352  | S * | 6/1980  | Besasio       | D14/205 |
| 4,987,592 | A * | 1/1991  | Flagg         | 379/430 |
| D322,071  | S * | 12/1991 | Bergin et al. | D14/206 |
| 5,138,722 | A * | 8/1992  | Urella et al. | 2/209   |

|           |      |         |               |         |
|-----------|------|---------|---------------|---------|
| 5,574,795 | A *  | 11/1996 | Seki          | 381/370 |
| 6,295,366 | B1 * | 9/2001  | Haller et al. | 381/374 |
| 6,654,966 | B2 * | 12/2003 | Rolla         | 2/209   |
| D491,163  | S *  | 6/2004  | Green         | D14/205 |
| D538,261  | S *  | 3/2007  | Taylor et al. | D14/205 |
| D541,255  | S *  | 4/2007  | Taylor et al. | D14/205 |
| D549,688  | S *  | 8/2007  | Suzuki        | D14/205 |
| D566,688  | S *  | 4/2008  | Wang          | D14/206 |
| D567,220  | S *  | 4/2008  | Wang          | D14/206 |
| D573,581  | S *  | 7/2008  | Gondo et al.  | D14/205 |
| D584,715  | S *  | 1/2009  | Brennwald     | D14/205 |
| D591,263  | S *  | 4/2009  | Shimizu       | D14/205 |
| D592,639  | S *  | 5/2009  | Kuh et al.    | D14/205 |
| D594,847  | S *  | 6/2009  | Suzuki        | D14/205 |
| D600,674  | S *  | 9/2009  | Brennwald     | D14/205 |
| D603,370  | S *  | 11/2009 | Suzuki        | D14/205 |

\* cited by examiner

*Primary Examiner* — Paula Greene

(57) **CLAIM**


The ornamental design for a headset, substantially as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a headset as seen from the front, bottom and right side;  
FIG. 2 is a front view thereof;  
FIG. 3 is a rear view thereof;  
FIG. 4 is a right side view thereof;  
FIG. 5 is a left side view thereof;  
FIG. 6 is a top view thereof; and,  
FIG. 7 is a bottom view thereof.

The broken lines form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**






FIG. 1




FIG. 2






FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7