

US00D641826S

(12) **United States Design Patent**
Larsson et al.

(10) **Patent No.:** **US D641,826 S**
(45) **Date of Patent:** **** Jul. 19, 2011**

(54) **SIGHT WITHOUT KICK STOP**

DESCRIPTION

(75) Inventors: **Niklas Larsson**, Akarp (SE); **Håkan Trulsson**, Malmö (SE)

(73) Assignee: **GS Development AB**, Malmö (SE)

(**) Term: **14 Years**

(21) Appl. No.: **29/359,185**

(22) Filed: **Apr. 7, 2010**

(51) **LOC (9) Cl.** **22-01**

(52) **U.S. Cl.** **D22/109**

(58) **Field of Classification Search** D22/100,
D22/108, 109, 110, 199; 42/11, 72, 75.02,
42/71.01, 85, 90, 106, 114, 113, 116, 119,
42/124, 125, 127, 145, 128; 248/201, 205.1

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D349,509	S	*	8/1994	Williams et al.		D16/130
5,374,986	A	*	12/1994	Solinsky		356/4.01
D522,031	S	*	5/2006	Siu		D16/132
7,158,296	B1	*	1/2007	Schwartz et al.		359/407
D570,018	S	*	5/2008	Ciccone et al.		D26/37

* cited by examiner

Primary Examiner — T. Chase Nelson

Assistant Examiner — Michael Pratt

(74) *Attorney, Agent, or Firm* — Thomas, Kayden,
Horstemeyer & Risley, LLP; Todd Deveau

(57) **CLAIM**

The ornamental design for a sight without kick stop, as shown
and described.

FIG. 1 is a perspective view of a first embodiment of my new
sight without kick stop;

FIG. 2 is an elevational view of the right side of FIG. 1 of my
new sight without kick stop;

FIG. 3 is an elevational view of the left of side FIG. 1 of my
new sight without kick stop;

FIG. 4 is an elevational view of the bottom end of FIG. 1 of my
new sight without kick stop;

FIG. 5 is an elevational view of the top end of FIG. 1 of my
new sight without kick stop;

FIG. 6 is a top plan view of my new sight without kick stop of
FIG. 1; and

FIG. 7 is a bottom plan view of my new sight without kick
stop of FIG. 1.

FIG. 8 is a perspective view of a second embodiment of my
new sight without kick stop;

FIG. 9 is an elevational view of the right side of FIG. 8 of a
further embodiment of my new sight without kick stop;

FIG. 10 is an elevational view of the left of side FIG. 8 of a
further embodiment of my new sight without kick stop;

FIG. 11 is an elevational view of the bottom end of FIG. 8 of
a further embodiment of my new sight without kick stop;


FIG. 12 is an elevational view of the top end of FIG. 8 of a
further embodiment of my new sight without kick stop;

FIG. 13 is a top plan view of a further embodiment of my new
sight without kick stop of FIG. 8; and,

FIG. 14 is a bottom plan view of a further embodiment of my
new sight without kick stop of FIG. 8.

The broken line showing of portions of the sight without kick
stop forms no part of the claimed design.

1 Claim, 14 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14