



US00D641921S

(12) **United States Design Patent**  
**Sabernig**

(10) **Patent No.:** **US D641,921 S**  
(45) **Date of Patent:** **\*\* Jul. 19, 2011**

(54) **LIGHT FIXTURE**

(75) Inventor: **Robert Sabernig**, Munster (AT)

(73) Assignee: **EGLO Leuchten GmbH**, Innsbruck (AT)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/384,214**

(22) Filed: **Jan. 28, 2011**

**Related U.S. Application Data**

(63) Continuation-in-part of application No. 29/357,353, filed on Mar. 11, 2010.

(51) **LOC (9) Cl.** ..... **26-99**

(52) **U.S. Cl.** ..... **D26/120**

(58) **Field of Classification Search** ..... D26/125,  
D26/49, 46, 37, 118, 71, 92, 85, 87, 128,  
D26/63, 65, 88, 76, 120, 113, 119, 138, 2,  
D26/67, 72, 93, 123, 129, 130, 24, 107, 108,  
D26/62, 109, 51, 127, 122, 131, 140, 141,  
D26/142, 143, 144, 145, 58, 60, 68; 362/101,  
362/34, 346, 223, 294, 549, 109, 190, 192,  
362/249.01-249.11, 98, 99, 16, 17, 18, 19;  
D13/179, 180; D23/411; 424/401, 402,  
424/403, 404, 405; D8/353; 248/158, 122.1;  
D25/124; D16/135, 131, 244, 136; D15/90;  
359/801, 802, 807, 812; 119/245, 246, 247,  
119/253, 256, 266

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D54,079 S *	11/1919	Gillinder	.....	D26/127
D58,105 S *	6/1921	Poritz	.....	D26/81
1,514,729 A *	11/1924	Reyam	.....	362/356
D67,022 S *	4/1925	Gezelschap, Jr.	.....	D26/82
1,576,626 A *	3/1926	Burlin	.....	362/357

D74,472 S *	2/1928	Bardwell	.....	D26/88
D85,629 S *	11/1931	Wing	.....	D26/88
D142,579 S *	10/1945	Ohm	.....	D26/131
D142,580 S *	10/1945	Ohm	.....	D26/127
D142,583 S *	10/1945	Ohm	.....	D26/131
D144,869 S *	5/1946	Ohm	.....	D26/127
D150,095 S *	6/1948	Novin	.....	D26/131
D183,152 S *	7/1958	Wellhofer	.....	D10/118
D185,976 S *	8/1959	Meyer	.....	D26/122
D263,426 S *	3/1982	Sportelli	.....	D26/120
D279,718 S *	7/1985	Kedda	.....	D26/154
D309,955 S *	8/1990	Gismondi	.....	D26/87
D322,142 S *	12/1991	Gismondi	.....	D26/88
D323,906 S *	2/1992	Miranda et al.	.....	D26/85
D352,798 S *	11/1994	Her	.....	D26/82
D379,549 S *	5/1997	Vargas, Jr.	.....	D26/128
D398,415 S *	9/1998	Markee	.....	D26/87
D434,177 S *	11/2000	Mitrani	.....	D26/152
D443,943 S *	6/2001	Brunner et al.	.....	D26/87
D448,106 S *	9/2001	Lin	.....	D26/87
6,312,145 B1 *	11/2001	Rhoad	.....	362/311.14

(Continued)

*Primary Examiner* — Cathron Brooks

*Assistant Examiner* — Kevin Rudzinski

(74) *Attorney, Agent, or Firm* — Baker & McKenzie LLP

(57) **CLAIM**

The ornamental design for a light fixture, as shown and described.

**DESCRIPTION**


FIG. 1 is a front plan view of a light fixture in accordance with my design;

FIG. 2 is a perspective view of the light fixture in accordance with my design; and,

FIG. 3 is a side elevation view of the light fixture in accordance with my design.

Features of the design include the shape and configuration of the article and the pattern and ornament applied to the article as shown in the draftsman's representations.

**1 Claim, 1 Drawing Sheet**



# US D641,921 S

Page 2

---


## U.S. PATENT DOCUMENTS

D461,272 S *	8/2002	Davis, Jr. ....	D26/128	D548,872 S *	8/2007	Dubbeldam et al. ....	D26/85
D466,245 S *	11/2002	Hsu .....	D26/127	D561,257 S *	2/2008	Frey .....	D20/10
D469,910 S *	2/2003	St-Pierre .....	D26/85	D564,125 S *	3/2008	Chandler .....	D26/85
D481,454 S *	10/2003	Young .....	D23/411	D568,525 S *	5/2008	Chandler .....	D26/85
D499,480 S *	12/2004	Stauffer .....	D23/411	D577,853 S *	9/2008	De'Armond .....	D26/135
D499,505 S *	12/2004	Benensohn .....	D26/89	D601,746 S *	10/2009	Sabernig .....	D26/120
D534,301 S *	12/2006	Roland .....	D26/118	D610,298 S *	2/2010	Ngai et al. ....	D26/88
D542,462 S *	5/2007	Young .....	D26/128				

\* cited by examiner



*Fig.1*



*Fig.2*



*Fig.3*

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : D641,921 S  
APPLICATION NO. : 29/384214  
DATED : July 19, 2011  
INVENTOR(S) : Robert Sabernig

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Cover Page: Item 57 should read

FIG. 3 is a side elevation view of the light fixture in accordance with my design, all sides being identical except for variation in surface design.

Signed and Sealed this  
Eighteenth Day of October, 2011

A handwritten signature in black ink that reads "David J. Kappos". The signature is written in a cursive style with a large initial "D" and "K".

David J. Kappos  
*Director of the United States Patent and Trademark Office*