

US00D642009S

(12) United States Design Patent

Renner

(10) Patent No.:

US D642,009 S

(45) **Date of Patent:**

** Jul. 26, 2011

(54) SUSHI MAKER INCLUDING INSERT AND CRADLE

(75) Inventor: **Reinhard Renner**, Esslingen (DE)

(73) Assignee: Leifheit AG, Nassau (DE)

(**) Term: 14 Years

(21) Appl. No.: 29/369,138

(22) Filed: Sep. 2, 2010

99/439, 450.1, 450.6, 450.2, 450.7; 426/274, 426/242, 138; 425/112, 383

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D391,124	S *	2/1998	Cote
D523,707			Williams
7,726,236			Graham et al 99/450.1
2004/0025713			Leak et al 99/450.6
2008/0196598	A1*	8/2008	Graham et al 99/426
2010/0024664	A1*	2/2010	Rolland 99/450.6

* cited by examiner

Primary Examiner — Terry Wallace

(74) Attorney, Agent, or Firm — Leydig, Voit & Mayer, Ltd.

(57) CLAIM

The ornamental design for a sushi maker including insert and cradle, as shown and described.

DESCRIPTION


FIG. 1 is a front, top, right side perspective view of the sushi maker including insert and cradle, with the insert inserted in the cradle, showing my new design;


FIG. 2 is a front, top, right side perspective exploded view thereof, with the insert removed from the cradle;


- FIG. 3 is a top plan view thereof, with the insert inserted in the cradle;
- FIG. 4 is a bottom plan view thereof, with the insert inserted in the cradle;
- FIG. 5 is a rear elevational view thereof, with the insert inserted in the cradle;
- FIG. 6 is a right side elevational view thereof, with the insert inserted in the cradle, the left side view being a mirror image; FIG. 7 is a front elevational view thereof, with the insert
- inserted in the cradle;
- FIG. 8 is a front, top, right side perspective view thereof, with the insert inserted in an alternative position in the cradle.
- FIG. 9 is a front, top, right side perspective view of the cradle thereof, with the insert removed from the cradle;
- FIG. 10 is a top plan view of the cradle thereof, with the insert removed from the cradle;
- FIG. 11 is a bottom plan view of the cradle thereof, with the insert removed from the cradle;
- FIG. 12 is a rear elevational view of the cradle thereof, with the insert removed from the cradle;
- FIG. 13 is a right side elevational view of the cradle thereof, with the insert removed from the cradle, the left side view being a mirror image;
- FIG. 14 is a front elevational view of the cradle thereof, with the insert removed from the cradle;
- FIG. 15 is a front, top, right side perspective view of the insert thereof, with the insert removed from the cradle;
- FIG. 16 is a rear, bottom, left side perspective view of the insert thereof, with the insert removed from the cradle;
- FIG. 17 is a bottom plan view of the insert thereof, with the insert removed from the cradle;
- FIG. 18 is a top plan view of the insert thereof, with the insert removed from the cradle;
- FIG. 19 is a rear elevational view of the insert thereof, with the insert removed from the cradle;
- FIG. 20 is a right side elevational view of the of the insert thereof, with the insert removed from the cradle, the left side view being the mirror image; and,
- FIG. 21 is a front elevational view of the insert thereof, with the insert removed from the cradle.


The cradle and insert are show separated from the base for clarity of illustration.

1 Claim, 8 Drawing Sheets









(D)

