



US00D642230S

(12) **United States Design Patent**  
**Kessler**

(10) **Patent No.:** **US D642,230 S**

(45) **Date of Patent:** **\*\* Jul. 26, 2011**

(54) **DIMPLED EXERCISE BALL**

(75) Inventor: **George M. Kessler**, Taftville, CT (US)

(73) Assignee: **Fitness Equipment Manufacturing, LLC**, Uxbridge, MA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/344,602**

(22) Filed: **Oct. 1, 2009**

(51) **LOC (9) Cl.** ..... **21-02**

(52) **U.S. Cl.** ..... **D21/662; D21/709**

(58) **Field of Classification Search** ..... D21/373,  
D21/412, 662, 686, 691, 708, 709; 473/125,  
473/378, 383, 596, 603-604; 482/38, 93,  
482/98, 105, 106, 108, 113, 142  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D232,250 S *	7/1974	Caylor	.....	D21/412
D237,983 S *	12/1975	Lynch et al.	.....	D21/709
D247,685 S *	4/1978	Haines et al.	.....	D21/709
D303,553 S *	9/1989	Zocchi	.....	D21/373
D327,519 S *	6/1992	Gobush et al.	.....	D21/709
D329,675 S *	9/1992	Machin et al.	.....	D21/709
D364,904 S *	12/1995	Pelletier et al.	.....	D21/709
5,518,234 A	5/1996	Palmquist		
D378,388 S	3/1997	Watson		
5,735,761 A	4/1998	Palmquist		
D406,623 S *	3/1999	Stiefel	.....	D21/709
D408,483 S *	4/1999	Stiefel	.....	D21/709
D420,075 S *	2/2000	Asakura	.....	D21/709
D434,815 S *	12/2000	Asakura	.....	D21/709

D449,359 S *	10/2001	Ogg	.....	D21/709
6,315,685 B1 *	11/2001	Tavares et al.	.....	473/378
6,475,106 B1 *	11/2002	Green et al.	.....	473/383
D484,204 S *	12/2003	Kasashima	.....	D21/709
D510,966 S *	10/2005	Michishita	.....	D21/709
D572,322 S *	7/2008	Michishita	.....	D21/709
2002/0173385 A1 *	11/2002	Shannon et al.	.....	473/378

\* cited by examiner

*Primary Examiner* — Susan E Krakower

(74) *Attorney, Agent, or Firm* — Dean W. Russell; Kilpatrick Townsend & Stockton LLP


(57) **CLAIM**

The ornamental design for a dimpled exercise ball, as shown and described.

**DESCRIPTION**

FIG. 1 is a three-dimensional view, generally from the top, of a dimpled exercise ball of the invention;  
 FIG. 2 is a three-dimensional view, generally from the bottom, of the dimpled exercise ball of FIG. 1;  
 FIG. 3 is a front view of the dimpled exercise ball of FIG. 1;  
 FIG. 4 is a rear view of the dimpled exercise ball of FIG. 1;  
 FIG. 5 is a left side view of the dimpled exercise ball of FIG. 1;  
 FIG. 6 is a right side view of the dimpled exercise ball of FIG. 1;  
 FIG. 7 is a top view of the dimpled exercise ball of FIG. 1; and,  
 FIG. 8 is a bottom view of the dimpled exercise ball of FIG. 1.  
 The broken lines illustrate environmental elements of a dimpled exercise ball which form no part of the claimed design.

**1 Claim, 8 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8