

US00D642301S

(12) **United States Design Patent**
Rothman

(10) **Patent No.:** **US D642,301 S**
(45) **Date of Patent:** **** Jul. 26, 2011**

(54) **POWER FAILURE LIGHT**

(75) Inventor: **Jacob Rothman**, Shanghai (CN)

(73) Assignee: **National Broom Co. of California**, San Leandro, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/381,362**

(22) Filed: **Dec. 17, 2010**

(51) **LOC (9) Cl.** **26-05**

(52) **U.S. Cl.** **D26/26**

(58) **Field of Classification Search** D26/26,
D26/24, 37, 38, 57, 73, 94, 98, 101; D10/110,
D10/114; D22/120, 122, 123; D21/315,
D21/318, 650, 712, 713, 780, 788; D11/119,
D11/137, 139, 144, 162; 362/640, 641, 642,
362/643, 644, 652, 653, 657, 658, 659, 563,
362/567, 122, 124, 183, 805, 806

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D394,122	S	*	5/1998	Concari et al.		D26/38
D471,654	S	*	3/2003	Schenck		D26/26
D485,925	S	*	1/2004	Oas		D26/38
D496,480	S	*	9/2004	Slattery et al.		D26/38
D551,369	S	*	9/2007	Mah		D26/37
D563,314	S	*	3/2008	Kingston et al.		D13/108
D567,430	S	*	4/2008	Kingston et al.		D26/104
D602,615	S	*	10/2009	Liu		D26/26

D604,435	S	*	11/2009	Kingston et al.		D26/37
D623,322	S	*	9/2010	Wallach et al.		D26/38
D630,364	S	*	1/2011	Schmitt et al.		D26/72

* cited by examiner

Primary Examiner — Angela J Lee

(74) *Attorney, Agent, or Firm* — Michael J. Hughes


(57) **CLAIM**

The ornamental design for a power failure light, as shown and described.

DESCRIPTION

FIG. 1 is a rear top right perspective view of the charging mode of the power failure light of the present invention;
FIG. 2 is a rear view of the charging mode;
FIG. 3 is a front view of the charging mode;
FIG. 4 is a right side elevational view of the charging mode;
FIG. 5 is a left side elevational view of the charging mode;
FIG. 6 is a top view of the charging mode;
FIG. 7 is a bottom view of the charging mode.
FIG. 8 is a rear top right perspective view of the usage mode of the power failure light of the present invention;
FIG. 9 is a rear view of the usage mode;
FIG. 10 is a front view of the usage mode;
FIG. 11 is a right side elevational view of the usage mode;
FIG. 12 is a left side elevational view of the usage mode;
FIG. 13 is a top view of the usage mode; and,
FIG. 14 is a bottom view of the usage mode.
The portions of the power failure light shown in broken lines form no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

FIG. 8

