



US00D642310S

(12) **United States Design Patent**
Idelson

(10) **Patent No.:** **US D642,310 S**

(45) **Date of Patent:** **** Jul. 26, 2011**

(54) **GLOVE LIGHT**

(75) Inventor: **Howie Idelson**, Pacific Palisades, CA
(US)

(73) Assignee: **Mechanix Wear, Inc.**, Valencia, CA
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/376,311**

(22) Filed: **Oct. 5, 2010**

(51) **LOC (9) Cl.** **26-02**

(52) **U.S. Cl.** **D26/39; D26/46**

(58) **Field of Classification Search** D26/37,
D26/38, 39, 46, 51; 362/104, 103, 105, 106,
362/108, 253, 157, 158, 194, 195, 200, 201
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,230,943	A	6/1917	Sundh	
D195,189	S *	5/1963	Schulte, Jr.	D2/614
3,638,011	A	1/1972	Bain et al.	
4,422,131	A	12/1983	Clanton et al.	
5,283,722	A	2/1994	Koenen et al.	
5,345,368	A	9/1994	Huff	
5,535,105	A	7/1996	Myers et al.	
5,673,436	A	10/1997	Piper	
6,006,357	A	12/1999	Mead	
D457,670	S *	5/2002	Allen	D26/37
6,529,121	B2	3/2003	Bush	
D490,923	S *	6/2004	Costa et al.	D26/39
6,805,460	B1	10/2004	Zoller et al.	
6,892,397	B2	5/2005	Raz et al.	
D507,368	S *	7/2005	Waters	D26/37
7,152,248	B2	12/2006	Ziemer	
D565,216	S *	3/2008	Markell	D26/37
D604,778	S *	11/2009	Chan	D21/483

2001/0048596	A1	12/2001	Kerr	
2005/0034212	A1	2/2005	Eisenbraun	
2006/0007669	A1	1/2006	Blackburn	
2006/0146517	A1	7/2006	Park	
2007/0058362	A1	3/2007	Winfrey	
2008/0130268	A1 *	6/2008	Johnson et al.	362/103
2008/0218996	A1 *	9/2008	Galloway et al.	362/103
2009/0168407	A1 *	7/2009	Wright	362/103
2009/0219709	A1 *	9/2009	Chen	362/103

* cited by examiner

Primary Examiner — Ian Simmons

Assistant Examiner — Carissa C Fitts

(74) *Attorney, Agent, or Firm* — Eric Karich

(57) **CLAIM**

The ornamental design for a “glove light,” as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a glove light, showing my new design, illustrating the glove light operably mounted on a glove in a first orientation;

FIG. 2 is a perspective view of the glove light, illustrating the glove light operably mounted on the glove in a second orientation;

FIG. 3 is a perspective view of the glove light, alone;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a rear elevational view thereof;

FIG. 6 is a left side elevational view thereof


FIG. 7 is a right side elevational view thereof;

FIG. 8 is a top plan view thereof; and,

FIG. 9 is a bottom plan view thereof.

The broken line showing of a glove on a peron’s hand is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9