



US00D642356S

(12) **United States Design Patent**  
**Wells et al.**

(10) **Patent No.:** **US D642,356 S**

(45) **Date of Patent:** **\*\* Aug. 2, 2011**

(54) **BELT**

(76) Inventors: **Jivan Wells, Järna (SE); Johanna Pansera, Vagnhärads (SE)**

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/344,779**

(22) **Filed:** **Oct. 5, 2009**

(30) **Foreign Application Priority Data**

Apr. 7, 2009 (SE) ..... 2009/0185

(51) **LOC (9) Cl.** ..... **02-07**

(52) **U.S. Cl.** ..... **D2/627**

(58) **Field of Classification Search** ..... D2/624,  
D2/625, 626, 627, 629, 630, 500, 501, 502,  
D2/509, 513, 514, 600, 602, 628, 631, 638,  
D2/639, 875, 877, 894; 2/311, 312, 314,  
2/321, 322

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,441,907	A *	1/1923	Bernstein	.....	602/65
1,562,990	A *	11/1925	Rappaport	.....	40/329
1,897,146	A *	2/1933	Richardson	.....	2/171
1,991,982	A *	2/1935	Hodges	.....	2/174
2,013,757	A *	9/1935	Jung, Jr.	.....	602/65
2,269,294	A *	1/1942	Udale	.....	261/51
2,700,977	A *	2/1955	Neerup	.....	132/273
2,993,211	A *	7/1961	Sullivan	.....	2/207
3,238,536	A *	3/1966	Gettinger	.....	2/207
4,110,846	A *	9/1978	Hernandez	.....	2/203
5,083,318	A *	1/1992	Hook	.....	2/207
D347,311	S *	5/1994	Butler	.....	D2/871

5,377,360	A *	1/1995	Fleitman	.....	2/181
6,205,590	B1 *	3/2001	Gorman	.....	2/181
D485,969	S *	2/2004	Wade	.....	D2/894
D503,027	S *	3/2005	Strong	.....	D2/894
D523,213	S *	6/2006	Strong	.....	D2/894
7,634,819	B2 *	12/2009	Grey	.....	2/207
2008/0029333	A1	2/2008	Oz		

**FOREIGN PATENT DOCUMENTS**

FR 2 921 823 A1 4/2009

\* cited by examiner

*Primary Examiner* — T. Chase Nelson

*Assistant Examiner* — Kathleen M Sims

(57) **CLAIM**

The ornamental design for a belt, as shown and described.

**DESCRIPTION**

FIG. 1 is a front-right perspective view of a belt showing our new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a right side view thereof, the left side view being a mirror image of the right side view, right side view enlarged for clarity;


FIG. 5 is a top view thereof;

FIG. 6 is a bottom view thereof; and,

FIG. 7 is a view thereof shown in use.

The broken line showing of an opening in FIGS. 1, 2, and 3 and the broken line showing of the article in use in FIG. 7 is included for the purpose of showing environmental portions of the belt and forms no part of the claimed design.

**1 Claim, 7 Drawing Sheets**






Fig. 1




Fig. 2





Fig. 3



Fig. 4



**Fig. 6**



**Fig. 6**




Fig. 7