



US00D642375S

(12) **United States Design Patent**  
**Zack et al.**

(10) **Patent No.:** **US D642,375 S**  
(45) **Date of Patent:** **\*\* Aug. 2, 2011**

(54) **MULTIFUNCTION INFANT CARRIER**

(75) Inventors: **Elizabeth Zack**, Brooklyn, NY (US);  
**Sara Lighthall**, San Diego, CA (US)

(73) Assignee: **Infantino, LLC.**, San Diego, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/362,871**

(22) Filed: **Jun. 1, 2010**

(51) **LOC (9) Cl.** ..... **03-99**

(52) **U.S. Cl.** ..... **D3/214**

(58) **Field of Classification Search** ..... D3/213-215;  
D6/354; 224/155, 157, 158, 159, 160, 161,  
224/264, 270, 907; 446/28; 2/84-85, 94-95,  
2/102, 108; 5/94; D2/719, 828-831  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,780,919	A	12/1973	Hansson	
4,318,502	A	3/1982	Lowe	
4,333,591	A	6/1982	Case	
D266,800	S *	11/1982	Kula et al.	D3/214
4,469,259	A *	9/1984	Krich et al.	224/160
4,986,458	A	1/1991	Linday	
5,246,152	A	9/1993	Dotseth	
5,361,952	A	11/1994	Gold	
D388,247	S *	12/1997	McLauchlan	D3/213
5,772,088	A	6/1998	Nelson	
5,791,535	A	8/1998	Roan et al.	
5,813,580	A	9/1998	Fair	
5,848,741	A	12/1998	Fair	
5,934,528	A	8/1999	Higuchi	
6,179,175	B1	1/2001	Painter	
6,186,381	B1	2/2001	Kernkamp	

6,409,060	B2	6/2002	Donine
6,520,391	B2	2/2003	Yen
6,598,771	B2	7/2003	Norman
6,763,983	B2	7/2004	Norman
7,070,076	B2	7/2006	Bergkvist
7,168,600	B2	1/2007	Hwang
2002/0175194	A1	11/2002	Norman
2004/0149790	A1	8/2004	Kassai et al.
2005/0155996	A1	7/2005	Hiscocks
2005/0242136	A1	11/2005	Moriguchi
2006/0113337	A1	6/2006	Yoshie
2007/0029356	A1	2/2007	Moriguchi et al.

\* cited by examiner

*Primary Examiner* — T. Chase Nelson

*Assistant Examiner* — Michael Pratt

(74) *Attorney, Agent, or Firm* — Stetina Brunda Garred & Brucker


(57) **CLAIM**


The ornamental design for a multifunction infant carrier, as shown and described.

**DESCRIPTION**


FIG. 1 is a rear perspective view of the multifunction infant carrier of the present invention showing our new design; FIG. 2 is a front perspective view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a rear elevational view thereof; the broken line showing of surfaces of the belt carrier represents stitching, and forms part of the claimed design; FIG. 5 is a left side elevational view thereof, the right side elevational view being a mirror image thereof; FIG. 6 is a front elevational view thereof; and, FIG. 7 is a bottom plan view thereof.

**1 Claim, 3 Drawing Sheets**







*Fig. 1*




*Fig. 2*




*Fig. 3*




*Fig. 4*



*Fig. 5*



*Fig. 6*



*Fig. 7*