



US00D642510S

(12) **United States Design Patent**  
**Kiwaki**

(10) **Patent No.:** **US D642,510 S**

(45) **Date of Patent:** **\*\* Aug. 2, 2011**

(54) **TREAD PORTION OF AN AUTOMOBILE TIRE**

(75) Inventor: **Yukihiro Kiwaki**, Tokyo (JP)

(73) Assignee: **Bridgestone Corporation**, Tokyo (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/386,756**

(22) Filed: **Mar. 4, 2011**

(30) **Foreign Application Priority Data**

Sep. 7, 2010 (JP) ..... 2010-021669

(51) **LOC (9) Cl.** ..... **12-15**

(52) **U.S. Cl.** ..... **D12/585; D12/581; D12/900**

(58) **Field of Classification Search** ..... D12/568,  
D12/581-603, 900-901, 546, 550;  
152/209.1-209.28, 455

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D67,971 S \* 8/1925 Parker ..... D12/585

D384,614 S \* 10/1997 Hanlon et al. .... D12/585

D423,424 S \* 4/2000 Ikeda ..... D12/585

D451,854 S \* 12/2001 Hanya ..... D12/585

D578,471 S \* 10/2008 Guspodin et al. .... D12/585

D596,110 S \* 7/2009 Smith ..... D12/585

D613,678 S \* 4/2010 Nakamura et al. .... D12/585

\* cited by examiner

*Primary Examiner* — Stacia Cadmus

(74) *Attorney, Agent, or Firm* — Sughrue Mion, PLLC


(57) **CLAIM**

The ornamental design for a tread portion of an automobile tire, as shown and described.


**DESCRIPTION**

FIG. 1 is a front view of a tread portion of an automobile tire according to the present invention; FIG. 2 is a perspective view thereof; FIG. 3 is a right side view thereof; FIG. 4 is a fragmentary enlarged view showing the details of the tread portion; and, FIG. 5 is an end view taken along line 5—5 in FIG. 4. Broken lines in the drawing figures are intended to show environmental structure only, and form no part of the claimed design.

**1 Claim, 5 Drawing Sheets**




5




5


*FIG. 1*




*FIG. 2*



*FIG. 3*



*FIG. 4*



*FIG. 5*

