



US00D642581S

(12) **United States Design Patent**
McClelland, II et al.

(10) **Patent No.:** **US D642,581 S**
(45) **Date of Patent:** **** Aug. 2, 2011**

(54) **SERVER**

DESCRIPTION

- (75) Inventors: **Belgie Brian McClelland, II**, Tomball, TX (US); **George Russell Daniels**, Cypress, TX (US); **James J. Ganthier**, Spring, TX (US); **Michael T. Gill**, Houston, TX (US)
- (73) Assignee: **Hewlett-Packard Development Company, L.P.**, Houston, TX (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/366,783**
- (22) Filed: **Jul. 29, 2010**
- (51) **LOC (9) Cl.** **14-02**
- (52) **U.S. Cl.** **D14/444**
- (58) **Field of Classification Search** D14/441-446, D14/356, 313, 360-368, 300, 308, 349; D13/162, D13/184, 199; 312/223.2; 361/679.31-679.33, 361/679.6; 369/34.01, 36.01; 360/92.1
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,169,218	A	*	12/1992	Chu	312/223.2
D434,030	S	*	11/2000	Colprit et al.	D14/308
D466,126	S	*	11/2002	Chen et al.	D14/446
6,721,175	B1	*	4/2004	Nelson et al.	361/679.6
D545,824	S	*	7/2007	Chen et al.	D14/446
D547,762	S	*	7/2007	Chen et al.	D14/446
D572,257	S	*	7/2008	Chen et al.	D14/444
D575,290	S	*	8/2008	Kuang et al.	D14/444
D597,097	S	*	7/2009	Yang et al.	D14/444

* cited by examiner


Primary Examiner — Freda Nunn

(57) **CLAIM**

The ornamental design for a “server,” as shown and described.

FIG. 1 is a left, front perspective view of a server.
 FIG. 2 is a front view of the server of FIG. 1, wherein the indicator light behind the HP logo is shown in a first color by the horizontal cross-hatching.
 FIG. 3 is a top view of the server of FIG. 1.
 FIG. 4 is a right side view of the server of FIG. 1, the left side view thereof is substantially the same as the right side view, but in the opposite orientation.
 FIG. 5 is a front view similar to FIG. 2, but showing the indicator light of the HP logo having a second color different from that shown FIG. 2, the color of the indicator light of the HP logo is represented by the angular cross-hatching.
 FIG. 6 is another front view of the server showing the indicator light thereof having third color which is represented by the horizontal cross-hatching.
 FIG. 7 is another front view of the server, showing the indicator light having a fourth color different from that shown in FIG. 6, the color of the indicator light thereof is represented by the vertical cross-hatching, the top and left side views thereof are identical to the top and left views of FIG. 1.
 FIG. 8 is another front view of the server, showing the indicator light having a fifth color the indicator light behind the unclaimed logo is represented by the horizontal cross-hatching, the shape of the logo is not claimed; and,
 FIG. 9 is another front view of the server showing the indicator light having a sixth color different from that shown in FIG. 8, the indicator light is represented by the angular cross-hatching, The top and left side views of thereof are identical to the top and left views of FIG. 1, the shape of the logo is not claimed.
 The features shown in broken lines are shown for environmental purposes only and form no part of the claimed design, further, the shade lines shown between the solid contour lines and the broken lines in FIGS. 1 and 4 are understood to represent a surface.

1 Claim, 9 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9