



US00D642682S

(12) **United States Design Patent**
Chaudhary et al.

(10) **Patent No.:** **US D642,682 S**

(45) **Date of Patent:** **** Aug. 2, 2011**

(54) **RETRACTABLE SURGICAL SAFETY KNIFE**
(75) Inventors: **Manish Chaudhary**, Knoxville, TN (US); **Jonathan Woodward**, Cardiff, CA (US)

Primary Examiner — Ian Simmons
Assistant Examiner — Carissa C Fitts
(74) *Attorney, Agent, or Firm* — Kilpatrick Townsend & Stockton LLP

(73) Assignee: **Surgistar, Inc.**, Vista, CA (US)

(**) Term: **14 Years**

(57) **CLAIM**
The ornamental design for a retractable surgical safety knife, as shown and described.

(21) Appl. No.: **29/362,283**

(22) Filed: **May 21, 2010**

(51) **LOC (9) Cl.** **24-02**

(52) **U.S. Cl.** **D24/147**

(58) **Field of Classification Search** D24/147,
D24/133, 146; 606/167, 166, 161; D8/107,
D8/99, 91, 83; 30/151, 162, 329, 333, 335,
30/295, 282, 286, 337
See application file for complete search history.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a retractable surgical safety knife having an angled blade showing our new design, with the blade in an extended position; FIG. 2 is a right side elevational view thereof; FIG. 3 is a left side elevational view thereof; FIG. 4 is a top plan view thereof; FIG. 5 is a bottom plan view thereof; FIG. 6 is a front elevational view thereof; FIG. 7 is a rear elevational view thereof; FIG. 8 is a perspective view of the retractable surgical safety knife of FIG. 1, with the blade in a retracted position; FIG. 9 is a perspective view of a second embodiment of a retractable surgical safety knife having a straight blade showing our new design, with the blade in an extended position; FIG. 10 is a right side elevational view thereof; FIG. 11 is a left side elevational view thereof; FIG. 12 is a top plan view thereof; FIG. 13 is a bottom plan view thereof; FIG. 14 is a front elevational view thereof; FIG. 15 is a rear elevational view thereof; and, FIG. 16 is a perspective view of the retractable surgical safety knife of FIG. 9, with the blade in a retracted position.


(56) **References Cited**

U.S. PATENT DOCUMENTS

D236,166	S	*	7/1975	Fishbein	D24/146
D246,053	S	*	10/1977	Staub et al.	D24/144
D266,109	S	*	9/1982	Sertich et al.	D24/146
D283,544	S		4/1986	Schmidt		
D359,356	S		6/1995	Werner		
5,924,206	A	*	7/1999	Cote et al.	30/337
D421,303	S		2/2000	Cote		
6,391,041	B1	*	5/2002	Edens	606/167
D466,214	S		11/2002	Otsuka		
D496,730	S		9/2004	Morawski		
D504,513	S		4/2005	Morawski		
7,022,128	B2	*	4/2006	Morawski et al.	606/167
D537,528	S		2/2007	Christensen		
D571,010	S	*	6/2008	Cote	D24/147
D575,403	S	*	8/2008	Endo	D24/147
D619,251	S	*	7/2010	Justiniano-Garcia et al.	D24/147
7,905,894	B2	*	3/2011	Morawski et al.	606/167
2009/0204135	A1	*	8/2009	Cote	606/167

* cited by examiner

1 Claim, 10 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16