



US00D642916S

(12) **United States Design Patent**
Handy

(10) **Patent No.:** **US D642,916 S**

(45) **Date of Patent:** **** Aug. 9, 2011**

(54) **BOTTLE PUMP**

(75) Inventor: **Francis J. Handy**, Kentfield, CA (US)

(73) Assignee: **Method Products, Inc.**, San Francisco, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/359,789**

(22) Filed: **Apr. 15, 2010**

Related U.S. Application Data

(63) Continuation of application No. 29/340,717, filed on Jul. 23, 2009, now Pat. No. Des. 614,032.

(51) **LOC (9) Cl.** **09-07**

(52) **U.S. Cl.** **D9/448**

(58) **Field of Classification Search** D9/682-694, D9/434-499; 222/129, 135, 153.01, 153.03, 222/153.04, 153.09, 153.11-153.14, 182, 222/183, 631, 635, 209-213, 215, 321.7-321.9, 222/323-327, 372, 373, 378, 379, 383.1, 222/384-386, 398, 400.7, 400.8, 401, 402.1-402.25
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D201,057 S * 5/1965 Meshberg D9/448
3,308,857 A * 3/1967 McGhie 141/20
3,323,695 A * 6/1967 Monahon 222/506
D233,038 S * 10/1974 Starrett D22/117
D314,688 S * 2/1991 Guillerm D9/448
D339,527 S * 9/1993 Tobler D9/448
5,518,147 A * 5/1996 Peterson et al. 222/153.07
D377,755 S * 2/1997 Kotyuk et al. D9/682

D414,416 S * 9/1999 Watkins D9/448
D416,489 S * 11/1999 Sayers D9/448
D456,260 S * 4/2002 Boshuizen et al. D9/448
D501,133 S 1/2005 Schuller et al.
D504,614 S 5/2005 Schuller et al.
D511,095 S * 11/2005 Auer D9/448
D528,418 S * 9/2006 Kuo D9/448
D541,654 S * 5/2007 Pietrowski et al. D9/448
D551,077 S * 9/2007 Bloc D9/448
D592,524 S 5/2009 Padain et al.
D604,608 S * 11/2009 Lourenco D9/440

FOREIGN PATENT DOCUMENTS

EM 000045323-0001 * 1/2004

* cited by examiner

Primary Examiner — Catherine Tuttle

(74) *Attorney, Agent, or Firm* — Sterne, Kessler, Goldstein & Fox P.L.L.C.


(57) **CLAIM**

The ornamental design for a bottle pump, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a bottle pump showing my new design;
FIG. 2 is a side view thereof, the opposite side view being a mirror image thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a front view thereof;
FIG. 5 is a top view thereof; and,
FIG. 6 is a profile view taken along line 6-6 in FIG. 5.
The broken lines in the Figures are included for the purpose of illustrating associated environmental structure which forms no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D642,916 S
APPLICATION NO. : 29/359789
DATED : August 9, 2011
INVENTOR(S) : Francis J. Handy

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Replace FIG 5. With attached FIG 5, which is identical to original Figure 5.

Signed and Sealed this
Eighteenth Day of December, 2012

A handwritten signature in black ink that reads "David J. Kappos". The signature is written in a cursive, slightly slanted style.

David J. Kappos
Director of the United States Patent and Trademark Office




FIG. 5