



US00D642943S

(12) **United States Design Patent**
Laurino et al.

(10) **Patent No.:** **US D642,943 S**
(45) **Date of Patent:** **** Aug. 9, 2011**

(54) **VOLTAGE DETECTOR**
(75) Inventors: **Ferdinand Laurino**, Seattle, WA (US);
Jeff Worones, Seattle, WA (US)
(73) Assignee: **Fluke Corporation**, Everett, WA (US)
(**) Term: **14 Years**
(21) Appl. No.: **29/359,070**
(22) Filed: **Apr. 5, 2010**
(51) **LOC (9) Cl.** **10-04**
(52) **U.S. Cl.** **D10/78**
(58) **Field of Classification Search** D10/78;
324/555, 66, 72, 754, 114, 115, 141, 145,
324/156, 508, 72.5, 556, 133, 149, 503, 543;
340/635, 687, 654; 379/21; 73/866.5
See application file for complete search history.

D500,799 S * 1/2005 Olson D10/78
D571,240 S * 6/2008 Chun D10/78
D583,266 S * 12/2008 Wong D10/78
D615,430 S * 5/2010 Wieberdink et al. D10/78
D625,211 S * 10/2010 Chun D10/78
D629,319 S * 12/2010 Tian D10/78

* cited by examiner

Primary Examiner — Antoine D Davis
(74) *Attorney, Agent, or Firm* — Perkins Coie LLP


(57) **CLAIM**
The ornamental design for a voltage detector, as shown.

DESCRIPTION

FIG. 1 is a back view of a first embodiment of a voltage detector.
FIG. 2 is a left side view thereof.
FIG. 3 is a front view thereof.
FIG. 4 is a right side view thereof.
FIG. 5 is a top view thereof.
FIG. 6 is a bottom view thereof.
FIG. 7 is a first perspective view thereof; and,
FIG. 8 is a second perspective view thereof.

(56) **References Cited**
U.S. PATENT DOCUMENTS
D351,562 S * 10/1994 Moffatt et al. D10/78
D383,988 S * 9/1997 Luebke D10/78
D410,203 S * 5/1999 Beha D10/78

1 Claim, 4 Drawing Sheets






Figure 2




Figure 1



Figure 5




Figure 3




Figure 4



Figure 6




Figure 7




Figure 8