



US00D642972S

(12) **United States Design Patent**  
**Bechon et al.**

(10) **Patent No.:** **US D642,972 S**

(45) **Date of Patent:** **\*\* Aug. 9, 2011**

(54) **TREAD FOR PNEUMATIC TIRE**

(75) Inventors: **Hervé Bechon**, Pont-du-Chateau (FR);  
**Benoît Foucher**, Chamalieres (FR);  
**Philippe Mansuy**, Cebazat (FR)

(73) Assignee: **Michelin Recherche et Technique S.A.**,  
Granges-Paccot (CH)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/328,974**

(22) Filed: **Dec. 5, 2008**

(30) **Foreign Application Priority Data**

Jun. 11, 2008 (FR) ..... 08 2693

(51) **LOC (9) Cl.** ..... **12-15**

(52) **U.S. Cl.** ..... **D12/576**

(58) **Field of Classification Search** ..... D12/568-603;  
152/209.1, 209.8, 209.9, 209.12, 209.18,  
152/209.25

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D171,203 S \* 12/1953 Hawkinson ..... D12/590  
D173,265 S \* 10/1954 Hawkinson ..... D12/574

D175,217 S \* 7/1955 Hawkinson ..... D12/577  
D391,533 S \* 3/1998 Labbe et al. .... D12/583  
D394,620 S \* 5/1998 Merino Lopez ..... D12/585  
D451,450 S \* 12/2001 Smith ..... D12/585

\* cited by examiner

*Primary Examiner* — Caron D Veynar

*Assistant Examiner* — George D Kirschbaum

(74) *Attorney, Agent, or Firm* — Buchanan, Ingersoll &  
Rooney PC

(57) **CLAIM**

The ornamental design for a tread for pneumatic tire, as shown and described.



**DESCRIPTION**


FIG. 1 is a perspective view of a tread for pneumatic tire according to our new design, it being understood that the tread pattern repeats circumferentially about the outer circumference.

FIG. 2 is a side elevational view thereof, the opposite side being a mirror image thereof; and,  
FIG. 3 is a front elevational view thereof.


The broken line disclosure of the tire sidewall depicts environmental subject matter that forms no part of the claimed design.

**1 Claim, 3 Drawing Sheets**






**FIG. 1**



**FIG. 2**



**FIG. 3**