



US00D643134S

(12) **United States Design Patent**
Wan et al.(10) **Patent No.:** **US D643,134 S**
(45) **Date of Patent:** ** Aug. 9, 2011(54) **LED BULB**(75) Inventors: **Yehua Wan**, Zhejiang (CN); **Fang Chen**, Zhejiang (CN); **Jinqiang Gu**, Zhejiang (CN)(73) Assignee: **Jinxiang Shen**, Wuzhen Town, Tongxiang, Zhejiang (CN)(**) Term: **14 Years**(21) Appl. No.: **29/369,277**(22) Filed: **Sep. 4, 2010**(30) **Foreign Application Priority Data**

Jun. 9, 2010 (CN) 2010 3 0200751
(51) **LOC (9) Cl.** **26-04**
(52) **U.S. Cl.** **D26/2; D26/5**
(58) **Field of Classification Search** D26/1-5,
D26/120, 138, 113; 313/313, 315, 316, 317,
313/318, 493; 315/52, 53, 56, 57, 58; 362/290,
362/294, 309; D13/180, 110; D21/505
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D245,187 S * 7/1977 Moriyama D26/2
D263,508 S * 3/1982 Hubachek D26/47
4,593,232 A * 6/1986 McEdwards 315/199
D299,556 S * 1/1989 Marshbanks D26/96
D311,939 S * 11/1990 Andersen D21/505
5,924,784 A * 7/1999 Chliwnyj et al. 362/234
6,064,155 A * 5/2000 Maya et al. 315/56
6,220,722 B1 * 4/2001 Begemann 362/231
6,499,860 B2 * 12/2002 Begemann 362/230
6,621,222 B1 * 9/2003 Hong 315/51

6,634,770 B2 * 10/2003 Cao 362/294
D504,732 S * 5/2005 Yang D26/2
6,926,423 B2 * 8/2005 Bucher et al. 362/184
D576,317 S * 9/2008 Jensen D26/5
D589,176 S * 3/2009 Huang et al. D26/4
7,513,653 B1 * 4/2009 Liu et al. 362/294
D592,088 S * 5/2009 Miller D10/114.8
7,585,090 B2 * 9/2009 Wu 362/249.02
D610,272 S * 2/2010 Guo et al. D26/2
7,703,949 B2 * 4/2010 Lai 362/294
D618,738 S * 6/2010 Bodin et al. D21/505
7,832,899 B2 * 11/2010 Zheng 362/249.02
7,883,242 B2 * 2/2011 Ng et al. 362/249.06
7,922,363 B2 * 4/2011 Yang et al. 362/294
2004/0114367 A1 * 6/2004 Li 362/248
2010/0207502 A1 * 8/2010 Cao et al. 313/46
2011/0109218 A1 * 5/2011 Giacomin 313/46
2011/0115414 A1 * 5/2011 Ku et al. 315/313

* cited by examiner

Primary Examiner — Jeffrey D Asch*(74) Attorney, Agent, or Firm* — Global IP Services; Tianhua Gu(57) **CLAIM**

The ornamental design for a LED bulb, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a LED bulb showing our new design;

FIG. 2 is a front view thereof;


FIG. 3 is a back view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a top view thereof; and,

FIG. 7 is a bottom view thereof.

1 Claim, 4 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7