



US00D643165S

(12) **United States Design Patent**
Song et al.

(10) **Patent No.:** **US D643,165 S**
(45) **Date of Patent:** **** Aug. 9, 2011**

(54) **CLOTHES DRYER**
(75) Inventors: **Seung Hyun Song**, Seoul (KR); **Ki Hyuk Kim**, Incheon (KR); **Eun Young Jee**, Seoul (KR); **Min Jung You**, Seoul (KR)
(73) Assignee: **LG Electronics Inc.**, Seoul (KR)
(**) Term: **14 Years**
(21) Appl. No.: **29/364,070**
(22) Filed: **Jun. 18, 2010**
(30) **Foreign Application Priority Data**
Dec. 22, 2009 (KR) 30-2009-0056236

5,555,640 A * 9/1996 Ou 34/202
5,755,040 A * 5/1998 Ou 34/202
5,815,961 A * 10/1998 Estes et al. 38/14
6,018,885 A * 2/2000 Hill 34/202
6,189,346 B1 * 2/2001 Chen et al. 68/5 R
6,427,365 B2 * 8/2002 MacGregor et al. 38/1 A
D476,782 S * 7/2003 Huddleston D32/6
6,718,650 B2 * 4/2004 Ross 34/90
6,745,496 B2 * 6/2004 Cassella 34/621
6,868,621 B1 * 3/2005 Grimm et al. 34/92
D514,757 S * 2/2006 Roberts et al. D32/8
7,060,106 B2 * 6/2006 Kleker 8/149.1
7,093,374 B2 * 8/2006 Yang et al. 34/60
D531,563 S * 11/2006 Martin D12/209
7,140,121 B2 * 11/2006 Casella et al. 34/201
7,235,109 B2 * 6/2007 Kleker 8/149.3
7,367,137 B2 * 5/2008 Jonsson et al. 34/265
D622,456 S * 8/2010 Kim et al. D32/8
2004/0134087 A1 * 7/2004 Meyer 34/90

(Continued)

(51) **LOC (9) Cl.** **15-05**
(52) **U.S. Cl.** **D32/8**
(58) **Field of Classification Search** D32/1,
D32/5-6, 8-10, 25; 68/3 C, 5 C, 5 R, 12.01,
68/12.08; 38/1 A; 312/31; 34/77, 87-88,
34/90, 103-104, 201-202, 218, 523-524,
34/603, 621-622
See application file for complete search history.


Primary Examiner — T. Chase Nelson
Assistant Examiner — Kathleen M Sims
(74) *Attorney, Agent, or Firm* — Morgan, Lewis & Bockius LLP

(57) **CLAIM**
The ornamental design for a clothes dryer, as shown and described.

(56) **References Cited**
U.S. PATENT DOCUMENTS
2,741,113 A * 4/1956 Norkus 68/205 R
D191,951 S * 12/1961 Buduhn D32/10
3,049,903 A * 8/1962 Sussman 68/5 C
3,102,796 A * 9/1963 Erickson 34/75
D197,085 S * 12/1963 Bequette D32/8
D221,586 S * 8/1971 Dison D32/1
3,739,496 A * 6/1973 Buckley et al. 34/210
3,805,561 A * 4/1974 Bullock 68/5 C
4,180,919 A * 1/1980 Baltes 34/449
4,682,424 A * 7/1987 Irving 34/621
5,094,020 A * 3/1992 Wingfield et al. 38/1 A
5,152,077 A * 10/1992 Liang 34/77
D332,329 S * 1/1993 Hood et al. D32/8
5,305,484 A * 4/1994 Fitzpatrick et al. 8/149.3

DESCRIPTION
FIG. 1 is a top, front, perspective view of a clothes dryer showing our new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.
The broken lines showing portions of a clothes dryer are included for the purpose of illustrating environmental structure and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



US D643,165 S

Page 2

U.S. PATENT DOCUMENTS

2004/0206131	A1*	10/2004	Kleker	68/5	C	2007/0193058	A1*	8/2007	Zarembinski	34/202
2006/0101867	A1*	5/2006	Kleker	68/5	C	2007/0266740	A9*	11/2007	Kendall et al.	68/3 R
2007/0151302	A1*	7/2007	Kendall et al.	68/3	R	2008/0136295	A1*	6/2008	Aizpuru Borda et al.	312/31

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

