



US00D643557S

(12) **United States Design Patent**  
**Feigenbaum**

(10) **Patent No.:** **US D643,557 S**

(45) **Date of Patent:** **\*\* \*Aug. 16, 2011**

(54) **LIGHTING DEVICE**

(75) Inventor: **Marvin Feigenbaum**, New York, NY  
(US)

(73) Assignee: **Acolyte Technologies Corporation**,  
New York, NY (US)

(\*) Notice: This patent is subject to a terminal disclaimer.

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/360,822**

(22) Filed: **Apr. 30, 2010**

**Related U.S. Application Data**

(63) Continuation-in-part of application No. 29/355,740,  
filed on Feb. 12, 2010.

(51) **LOC (9) Cl.** ..... **26-05**

(52) **U.S. Cl.** ..... **D26/24**

(58) **Field of Classification Search** ..... D26/24,  
D26/26, 37, 46, 72, 85, 87, 88, 89, 93, 104,  
D26/113, 118, 1, 2, 3, 28, 38, 60; D10/111,  
D10/114; D23/366, 367, 368; D13/107,  
D13/108, 180, 182; 362/640, 641, 642, 643,  
362/644, 652, 653, 655, 657, 249.02, 311.02,  
362/800, 806, 555, 567, 116, 122, 123, 145,  
362/147, 157, 183, 194, 195, 200

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,836,766 A	9/1974	Auerbach
D234,155 S	1/1975	Gellert
D291,360 S	8/1987	De Vos et al.
4,860,177 A	8/1989	Simms
D331,638 S	12/1992	Vamberszky et al.
5,307,250 A	4/1994	Pearson
D348,535 S	7/1994	Burnett
D349,778 S	8/1994	Johnson et al.
D370,072 S	5/1996	Arden

D377,229 S	1/1997	Shalvi	
D384,181 S *	9/1997	Borden	..... D26/110
5,685,097 A	11/1997	Marinov	
D397,233 S	8/1998	Bassford	
D400,406 S	11/1998	House	
6,120,162 A	9/2000	Guerrieri	
D439,355 S	3/2001	Ford	

(Continued)

**OTHER PUBLICATIONS**

New for 2010 Floralytes, Dec. 3, 2009, <http://www.bridaltweet.com/profiles/blogs/new-for-2010-floralytes-accent>, viewed on Nov. 4, 2010.\*

(Continued)

*Primary Examiner* — Angela J Lee

(74) *Attorney, Agent, or Firm* — Gottlieb, Rackman & Reisman PC



(57) **CLAIM**

The ornamental design for a lighting device, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, front and right side perspective view of an lighting device showing my new design;  
FIG. 2 is a rear elevational view thereof;  
FIG. 3 is a front elevational view thereof;  
FIG. 4 is a right side view thereof, the left side view being a mirror image;  
FIG. 5 is a top plan view thereof;  
FIG. 6 is a bottom plan view thereof;  
FIG. 7 is a top, front and right side perspective view of a second embodiment of a lighting device showing my new design;  
FIG. 8 is a right side view thereof, the left side view, the front elevational view and rear elevational view being a mirror image;  
FIG. 9 is a top plan view thereof; and,  
FIG. 10 is a bottom plan view thereof.

**1 Claim, 5 Drawing Sheets**



# US D643,557 S

Page 2

## U.S. PATENT DOCUMENTS

D442,303 S \* 5/2001 Moriyama et al. .... D26/24  
D443,093 S 5/2001 Chiang  
D443,713 S \* 6/2001 Benensohn ..... D26/72  
D446,325 S 8/2001 Guerrieri  
D447,584 S 9/2001 Guerrieri  
D472,339 S 3/2003 Russello et al.  
D482,469 S 11/2003 Guerrieri  
6,641,283 B1 11/2003 Bohler  
D484,270 S \* 12/2003 Yiu ..... D26/89  
D485,004 S 1/2004 Olson  
D489,578 S 5/2004 Lai  
D495,818 S 9/2004 Shieh  
6,840,654 B2 1/2005 Guerrieri  
D501,573 S 2/2005 Benensohn  
6,848,807 B2 2/2005 Guerrieri  
6,848,808 B2 2/2005 Guerrieri  
6,857,771 B2 2/2005 Guerrieri  
6,900,735 B2 5/2005 Guerrieri  
D510,639 S 10/2005 Brady  
D528,996 S 9/2006 Egawa  
D535,039 S \* 1/2007 Sorokin ..... D26/24  
D535,262 S \* 1/2007 Saito et al. .... D13/180  
D544,117 S \* 6/2007 Coushaine ..... D26/37  
D561,924 S \* 2/2008 Yiu ..... D26/72  
D562,492 S 2/2008 Chen  
D573,292 S 7/2008 Zheng et al.  
D577,836 S \* 9/2008 Engebrigtsen ..... D26/24

D586,491 S 2/2009 Levine  
D590,098 S 4/2009 Campbell  
D593,224 S \* 5/2009 Hanley ..... D26/2  
D598,583 S 8/2009 Levine  
D603,811 S \* 11/2009 Son ..... D13/180  
D604,880 S 11/2009 Lovegrove  
D610,733 S 2/2010 Chang  
D615,231 S 5/2010 van Klinken  
D616,590 S 5/2010 Huang et al.  
D620,187 S 7/2010 Quadri  
2008/0158863 A1 \* 7/2008 Tsai ..... 362/183  
2010/0271823 A1 \* 10/2010 Huang et al. .... 362/249.02

## OTHER PUBLICATIONS

LED Submersible Light, May 6, 2009, [http://www.theeventdressers.net/store/product\\_info.php?products\\_id=102](http://www.theeventdressers.net/store/product_info.php?products_id=102)  
&osCsid=0imna9ub00sbnaj9omgm3si8d4, viewed on Nov. 4, 2010.\*  
Acolyte Technologies Corporation, Products Catalog, [www.888Acolyte.com](http://www.888Acolyte.com).  
Japanese Patent Office, Office Action in connection with design application serial No. D 2010-013870, rejecting the subject design based on the publication of the product on Amazon.com (see attached photograph) on Jun. 22, 2009.

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10