



US00D643930S

(12) **United States Design Patent**
Graells et al.

(10) **Patent No.:** **US D643,930 S**

(45) **Date of Patent:** **** Aug. 23, 2011**

(54) **LOCKING DEVICE**

(75) Inventors: **Eduard Graells**, Girona (ES); **Francesc Ribas**, Girona (ES)

(73) Assignee: **Veridentia, S.L.**, Girona (ES)

(**) Term: **14 Years**

(21) Appl. No.: **29/346,513**

(22) Filed: **Nov. 2, 2009**

(30) **Foreign Application Priority Data**

May 29, 2009 (EM) 001530098-0001

(51) **LOC (9) Cl.** **24-01**

(52) **U.S. Cl.** **D24/169**

(58) **Field of Classification Search** D24/169,
D24/129, 231, 232, 216, 224, 121; D10/81;
604/28, 30, 31, 66, 118, 245, 15, 248, 249,
604/256; 128/DIG. 13; D7/628; D9/430,
D9/522, 529; D3/203.1, 203.2

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D239,596 S * 4/1976 Dogliotti D9/522
D264,878 S * 6/1982 Landau D24/169
4,718,896 A * 1/1988 Arndt et al. 604/253
D299,533 S * 1/1989 Blanco D24/169
D381,748 S * 7/1997 Matsuda et al. D24/169

5,807,375 A * 9/1998 Gross et al. 604/66
D418,602 S * 1/2000 Prokop et al. D24/169
D440,875 S * 4/2001 Sagel D9/430
D475,619 S * 6/2003 Bomer D9/522
6,662,957 B2 * 12/2003 Zurcher et al. 604/256
D506,007 S * 6/2005 Best et al. D24/169
D547,051 S * 7/2007 Kirk et al. D3/203.1
7,837,628 B2 * 11/2010 Secora et al. 600/508

* cited by examiner

Primary Examiner — Anhdao Doan

(74) *Attorney, Agent, or Firm* — Richard M. Goldberg

(57) **CLAIM**

The ornamental design for a locking device, as shown and described.

DESCRIPTION

FIG. 1 is a front, top, perspective view of the locking device of our design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a left side elevational view thereof, with the right side elevational view being a mirror image;

FIG. 5 is a top plan view thereof;


FIG. 6 is a bottom plan view thereof;

FIG. 7 is an enlarged front, top perspective view of the top closing member of the locking device shown in FIGS. 1-6; and,

FIG. 8 is an enlarged rear, top perspective view of the tube member of the locking device shown in FIGS. 1-6.

The portions of the locking device shown in broken lines in FIGS. 6-8 form no part of the claimed design.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8