



US00D644002S

(12) **United States Design Patent**
Saito et al.

(10) **Patent No.:** **US D644,002 S**
(45) **Date of Patent:** **** Aug. 30, 2011**

(54) **HEATING ELEMENT FOR NECK WARMER**

(75) Inventors: **Masaki Saito**, Moriguchi (JP); **Hiroimi Inui**, Moriguchi (JP); **Shinji Oda**, Moriguchi (JP)

(73) Assignee: **Sanyo Electric Co., Ltd.**, Osaka (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/371,345**

(22) Filed: **Jan. 11, 2011**

Related U.S. Application Data

(62) Division of application No. 29/347,325, filed on Dec. 7, 2009.

(30) **Foreign Application Priority Data**

Jul. 22, 2009 (JP) 2009-016634
Jul. 22, 2009 (JP) 2009-016635

(51) **LOC (9) Cl.** **02-05**

(52) **U.S. Cl.** **D2/600**

(58) **Field of Classification Search** D2/500,
D2/600, 602; D24/206; 2/203, 206, 207,
2/468; 219/527; 602/19; 604/291
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,990,420 A 2/1935 Staff
D161,863 S 2/1951 Neumann
2,590,212 A 3/1952 Samuels
4,175,553 A 11/1979 Rosenberg
4,641,380 A 2/1987 Epstein
4,654,897 A 4/1987 Rosaen
4,686,710 A 8/1987 Marston et al.
5,378,225 A 1/1995 Chatman et al.
D398,136 S 9/1998 Samelian
D408,542 S 4/1999 Hoover, Jr.
D417,284 S 11/1999 Kondo

D438,974 S 3/2001 Crapps
6,397,403 B1 6/2002 Waldman
D484,094 S * 12/2003 Xiao D14/435.1
6,754,909 B1 6/2004 Samelian
7,028,345 B2 4/2006 Waldman
D531,581 S * 11/2006 Wang et al. D13/147
D549,660 S * 8/2007 Zenri et al. D13/147
D554,065 S * 10/2007 Ho et al. D13/147
D558,198 S * 12/2007 Blankenship et al. D14/480.5
D571,684 S * 6/2008 Kim D11/2
7,467,422 B2 12/2008 Bugarin
D585,835 S * 2/2009 Jaqua et al. D13/154
D586,752 S * 2/2009 Diamond et al. D13/147
D599,800 S * 9/2009 Klein et al. D14/433
D609,184 S * 2/2010 Liu D13/147
D620,482 S * 7/2010 Chen D14/225

(Continued)

Primary Examiner — Karen E Eldridge Powers
(74) *Attorney, Agent, or Firm* — Rabin & Berdo, PC


(57) **CLAIM**

The ornamental design for a heating element for neck warmer, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of a heating element for neck warmer, wherein the length of the USB connector cord is abbreviated;
FIG. 2 is a rear elevation view of a heating element for neck warmer, wherein the length of the USB connector cord is abbreviated;
FIG. 3 is a right side view of a heating element for neck warmer, wherein the length of the USB connector cord is abbreviated;
FIG. 4 is a left side view of a heating element for neck warmer, wherein the length of the USB connector cord is abbreviated; and,
FIG. 5 is a top plan view of a heating element for neck warmer, wherein the length of the USB connector cord is abbreviated, the bottom plan view being a mirror image.

1 Claim, 1 Drawing Sheet



US D644,002 S

Page 2

U.S. PATENT DOCUMENTS

D620,688 S 8/2010 Ross
2005/0186847 A1* 8/2005 Huang et al. 439/610
2006/0253958 A1 11/2006 Debrick

2009/0178176 A1 7/2009 Rowe et al.
2009/0276938 A1 11/2009 Chiang
2010/0179389 A1* 7/2010 Moroney et al. 600/301
* cited by examiner




FIG. 1




FIG. 2



FIG. 3



FIG. 4



FIG. 5