



US00D644082S

(12) **United States Design Patent**
LeMacher et al.

(10) **Patent No.:** **US D644,082 S**

(45) **Date of Patent:** **** Aug. 30, 2011**

(54) **ONE-CLAW HAMMER FOR ELECTRICAL BOX PUNCH-OUTS**

7,111,824 B2 9/2006 Harala
D572,993 S * 7/2008 Baty et al. D8/78
D620,776 S * 8/2010 Prachthauser D8/81

(76) Inventors: **Kevin LeMacher**, Clearwater, FL (US);
Eric J. Salaja, Burlington, WI (US)

FOREIGN PATENT DOCUMENTS

GB 117273 7/1918
GB 754647 8/1956

(**) Term: **14 Years**

* cited by examiner

(21) Appl. No.: **29/351,782**

Primary Examiner — Phillip S Hyder

(22) Filed: **Dec. 11, 2009**

Assistant Examiner — Roselynn Ulm

(51) **LOC (9) Cl.** **08-02**

(52) **U.S. Cl.** **D8/78**

(58) **Field of Classification Search** D8/14,
D8/75-81; 81/20, 22-24, 26; 7/143-147;
D29/124

(74) *Attorney, Agent, or Firm* — Larson & Larson, P.A.;
Frank Liebenow; Justin P. Miller

(57) **CLAIM**

I claim the ornamental design for a one-claw hammer for electrical box punch-outs, as shown and described.

See application file for complete search history.

DESCRIPTION

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,535,685	A	4/1925	Randell	
1,660,237	A	4/1927	Small	
1,737,647	A	12/1929	Cumming	
2,491,129	A	12/1949	Nieuwsma	
2,874,738	A	2/1959	Lay	
3,796,244	A	3/1974	Florian	
D262,186	S	12/1981	Royce	
4,509,242	A *	4/1985	Marra	29/267
4,953,248	A *	9/1990	Trombetta	7/107
5,058,414	A *	10/1991	Hayes	72/379.2
5,778,720	A *	7/1998	Olexa, Jr.	72/325
D411,427	S	6/1999	Nakayama	
D442,048	S	5/2001	Coonrad	
6,299,136	B1	10/2001	Nakayama	
D498,402	S	11/2004	Hung	
D499,322	S	12/2004	Hung	
D522,340	S *	6/2006	Hung	D8/78

FIG. 1 is a front elevation view of the one-claw hammer for electrical box punch-outs showing my novel design;

FIG. 2 is a rear elevation view thereof;

FIG. 3 is a right side view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof; and,


FIG. 7 is a perspective view thereof.

The broken lines shown in FIGS. 1-4 and 6 illustrate a typical handle of the environment.

The broken lines shown in FIG. 5 illustrate a typical slug of the environment for connecting a handle.

The broken lines shown in FIG. 7 illustrate a typical handle of the environment and a typical slug of the environment for connecting a handle.

1 Claim, 5 Drawing Sheets






FIG. 1





FIG. 2







FIG. 3






FIG. 4




FIG. 5




FIG. 6




FIG. 7

