



US00D644221S

(12) **United States Design Patent**
Kemery et al.

(10) **Patent No.:** **US D644,221 S**

(45) **Date of Patent:** **** Aug. 30, 2011**

(54) **ELECTRONIC ROUTER**

(75) Inventors: **Michael Kemery**, Seattle, WA (US);
Chung-Ming Ying, Taichung (TW)

(73) Assignee: **T-Mobile USA, Inc.**, Bellevue, WA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/350,990**

(22) Filed: **Nov. 25, 2009**

(51) **LOC (9) Cl.** **14-02**

(52) **U.S. Cl.** **D14/358; D14/240**

(58) **Field of Classification Search** D14/240-242,
D14/356-358, 140.1-140.6, 140, 155, 159,
D14/141.1-141.3, 137, 149, 150, 349, 351,
D14/348, 353-355, 170-171, 225, 217, 125;
D13/184; 455/550.1; 361/679.4, 679.56,
361/679.03, 679.26; 340/7.54; 439/717;
370/315

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D293,780	S	*	1/1988	Martinez	D14/141.2
D313,794	S	*	1/1991	Coleman	D14/339
D362,855	S	*	10/1995	Bevilacqua et al.	D14/240
D363,722	S	*	10/1995	Aldridge et al.	D14/242
D367,650	S	*	3/1996	Solomita	D14/141.1
D395,048	S	*	6/1998	Kobayashi	D14/240
D408,823	S	*	4/1999	Kirby	D14/240
D420,675	S	*	2/2000	Tennant et al.	D14/242
D430,549	S	*	9/2000	Du	D14/149
D470,464	S	*	2/2003	Loiske et al.	D14/125
D486,480	S	*	2/2004	Tanaka	D14/242
D513,251	S	*	12/2005	Conyers et al.	D14/352
D536,333	S	*	2/2007	McRae et al.	D14/240
D562,814	S	*	2/2008	Liu et al.	D14/240
D574,823	S	*	8/2008	Wung	D14/357
D577,021	S	*	9/2008	Kuang et al.	D14/363
D583,367	S	*	12/2008	Chen	D14/240
D588,588	S	*	3/2009	Dayan	D14/240
D596,636	S	*	7/2009	Kim et al.	D14/363
D598,449	S	*	8/2009	Landry et al.	D14/358

7,577,458	B2	*	8/2009	Lin	455/550.1
D605,643	S	*	12/2009	Landry et al.	D14/240
D610,133	S	*	2/2010	Asano	D14/240
D613,727	S	*	4/2010	Xie et al.	D14/240
D622,712	S	*	8/2010	Bang et al.	D14/240
D627,318	S	*	11/2010	Petersen et al.	D14/125

* cited by examiner

Primary Examiner — Jeffrey D Asch

(74) *Attorney, Agent, or Firm* — Lee & Hayes, PLLC

(57) **CLAIM**

The ornamental design for an electronic router, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an illustrative electronic router taken from the top and front, and illustrating a first usable orientation;

FIG. 2 is another perspective view of the electronic router also taken from the top and front, and illustrating a second usable orientation;

FIG. 3 is a top plan view of the electronic router of FIG. 1;

FIG. 4 is a bottom plan view of the electronic router of FIG. 1;

FIG. 5 is a front elevation view of the electronic router of FIG. 1;


FIG. 6 is a back elevation view of the electronic router of FIG. 1;

FIG. 7 is a right side elevation view of the electronic router of FIG. 1; and,

FIG. 8 is a left side elevation view of the electronic router of FIG. 1.

The broken lines shown on the back in FIG. 6 views, which are immediately adjacent to the shaded areas and define unshaded regions, represent the bounds of the claimed design, while all other broken lines are directed to environment and are for illustrative purposes only. The broken shown on the top and bottom surfaces in FIGS. 1 and 3-7 are superimposed on continuous claimed surfaces. The broken lines throughout the views form no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8