



US00D644329S

(12) **United States Design Patent**
North et al.

(10) **Patent No.:** **US D644,329 S**
(45) **Date of Patent:** **** Aug. 30, 2011**

(54) **ELECTRICAL STIMULATION PADDLE LEAD**

(75) Inventors: **Richard B. North**, Baltimore, MD (US);
Terry D. Daglow, Allen, TX (US);
Stephen L. Goldman, Frisco, TX (US)

(73) Assignee: **Advanced Neuromodulation Systems, Inc.**, Plano, TX (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/354,410**

(22) Filed: **Jan. 22, 2010**

D457,634 S *	5/2002	Rouns et al.	D24/168
D458,376 S *	6/2002	Rouns et al.	D24/168
D483,488 S *	12/2003	Luthy et al.	D24/140
D504,722 S *	5/2005	Cienciosi	D24/158
D511,004 S *	10/2005	Masuda	D24/187
D511,384 S *	11/2005	Masuda	D24/187
D527,823 S *	9/2006	Levinson	D24/187
D541,421 S *	4/2007	Metzger et al.	D24/187
D565,184 S *	3/2008	Royzen	D24/168
D568,479 S *	5/2008	Mao et al.	D24/168
D584,414 S *	1/2009	Lash et al.	D24/187
D598,112 S *	8/2009	Phillips et al.	D24/187
D598,114 S *	8/2009	Cryan	D24/187
D600,352 S *	9/2009	Cryan	D24/187
D609,353 S *	2/2010	Cryan	D24/187
D613,413 S *	4/2010	Gonopolskiy et al.	D24/187

* cited by examiner

Related U.S. Application Data

(63) Continuation-in-part of application No. 11/279,712, filed on Apr. 13, 2006, now Pat. No. 7,603,178.

(51) **LOC (9) Cl.** **24-01**

(52) **U.S. Cl.** **D24/187**

(58) **Field of Classification Search** D24/168,
D24/186-187, 200, 232, 158, 140; D13/182;
600/372-384, 391, 129, 142, 152; 607/62,
607/109, 121, 129, 139; 427/2.12; 378/98.8

See application file for complete search history.

Primary Examiner — T. Chase Nelson

Assistant Examiner — Mark Cavanna

(74) *Attorney, Agent, or Firm* — Craig Hoersten;
Christopher S. L. Crawford; Peter Lando

(57) **CLAIM**

The ornamental design for electrical stimulation paddle lead, as shown and described.

DESCRIPTION

FIG. 1 illustrates a top view;
FIG. 2 illustrates a bottom view;
FIG. 3 illustrates a right end view; and,
FIG. 4 illustrates a left end view.

Although references to the drawings have been made with respect to top, bottom, right and left, it shall be appreciated that the forgoing orientations are used for reference purposes only and the model of the present invention may be disposed in any orientation.


The broken lines shown are included for the purpose of illustrating portions of the electrical stimulation paddle lead that form no part of the claimed design.

1 Claim, 2 Drawing Sheets

(56) **References Cited**

U.S. PATENT DOCUMENTS

D232,590 S *	8/1974	Riggs et al.	D24/168
D243,476 S *	2/1977	Avery	D24/187
4,291,707 A *	9/1981	Heilman et al.	607/129
D273,514 S *	4/1984	Heilman et al.	D24/168
5,330,526 A *	7/1994	Fincke et al.	607/142
5,352,315 A *	10/1994	Carrier et al.	607/152
5,354,328 A *	10/1994	Doan et al.	607/129
D361,619 S *	8/1995	Phleps et al.	D24/158
D369,667 S *	5/1996	Vincentis et al.	D24/187
D378,614 S *	3/1997	Jensen	D24/187
D385,037 S *	10/1997	Jensen	D24/187
D409,752 S *	5/1999	Bishay et al.	D24/187
6,320,934 B1 *	11/2001	Carroll et al.	378/98.8






Fig. 1




Fig. 2



Fig. 3



Fig. 4