



US00D644339S

(12) **United States Design Patent**
Sutton

(10) **Patent No.:** **US D644,339 S**

(45) **Date of Patent:** **** Aug. 30, 2011**

(54) **VENTED FOOTER TRACK**

(76) Inventor: **Adam F. Sutton**, Kaneohe, HI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/388,095**

(22) Filed: **Mar. 24, 2011**

Related U.S. Application Data

(63) Continuation of application No. 11/260,516, filed on Oct. 27, 2005.

(51) **LOC (9) Cl.** **25-01**

(52) **U.S. Cl.** **D25/121**

(58) **Field of Classification Search** D25/121,
D25/126; 52/461, 474, 241, 209, 302.1,
52/302.3, 254, 238.1, 169.5, 299, 293.1

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D189,447 S *	12/1960	Attwood	D25/121
3,170,269 A	2/1965	Dunnington		
3,284,971 A	11/1966	Attwood		
3,653,172 A	4/1972	Schwartz		
4,047,355 A	9/1977	Knorr		
4,075,810 A	2/1978	Zakrzewski et al.		
4,265,064 A	5/1981	Parezo		
4,507,901 A	4/1985	Carroll		
5,038,544 A	8/1991	Traut		
5,394,665 A	3/1995	Johnson		
5,671,571 A	9/1997	Braun		
5,787,659 A	8/1998	Rinehart		
5,813,177 A	9/1998	Wu		
5,890,334 A	4/1999	Hughes, Jr.		
5,927,041 A	7/1999	Sedlmeier et al.		
5,970,671 A	10/1999	Bifano et al.		

6,094,872 A *	8/2000	Ward et al.	52/126.4
6,216,405 B1	4/2001	Smith		
6,243,995 B1	6/2001	Reeves et al.		
6,293,064 B1 *	9/2001	Larson	52/302.1
6,374,557 B1	4/2002	O'Donnell		
6,374,558 B1 *	4/2002	Surowiecki	52/241
6,470,638 B1	10/2002	Larson		
6,568,141 B2 *	5/2003	Kremers	52/426
6,619,004 B2	9/2003	Loper		
6,640,605 B2	11/2003	Gitlin et al.		
6,792,725 B1	9/2004	Rutherford		
6,983,569 B1	1/2006	Rosenberg		
2003/0196401 A1	10/2003	Surowiecki		
2004/0134162 A1	7/2004	Douglas		
2004/0163356 A1	8/2004	Rice		

* cited by examiner

Primary Examiner — Doris Clark

(74) *Attorney, Agent, or Firm* — Seth M. Reiss, AAL, ALLLC; Seth M. Reiss

(57) **CLAIM**

I claim the ornamental design for a vented footer track, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the vented footer track of the subject invention.

FIG. 2 is a bottom perspective view of the vented footer track.

FIG. 3 is an end view of the vented footer track, the opposite end being identical thereto.

FIG. 4 is a right side view of the vented footer track.


FIG. 5 is a left side view of the vented footer track.

FIG. 6 is a top view of the vented footer track; and,

FIG. 7 is a bottom view of the vented footer track.

The claimed design is broken on the ends indicating indeterminate length.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7