



US00D644707S

(12) **United States Design Patent**
Faifer

(10) **Patent No.:** **US D644,707 S**

(45) **Date of Patent:** **** Sep. 6, 2011**

(54) **GRIP WITH BIPOD**

(76) Inventor: **Sagi Faifer**, Mishmar Hashiva (IL)

(**) Term: **14 Years**

(21) Appl. No.: **29/366,241**

(22) Filed: **Jul. 22, 2010**

(51) **LOC (9) Cl.** **22-01**

(52) **U.S. Cl.** **D22/108**

(58) **Field of Classification Search** D22/100,
D22/108, 199; D8/1, 380, 381; 42/94; 89/37.04;
211/64, 13.1, 49.1, 60.1, 70.5, 86.01, 87.01,
211/88.01, 89.01, 181.1, 560; 248/156, 530,
248/121, 175, 200, 302, 304, 309.1, 310,
248/312; D6/329, 396, 417, 552, 553, 567;
D21/385, 662, 698

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|--------------|------|--------|--------------------|-------|---------|
| 5,384,609 | A * | 1/1995 | Ogawa et al. | | 396/419 |
| 7,111,424 | B1 * | 9/2006 | Moody et al. | | 42/72 |
| D566,219 | S * | 4/2008 | Moody et al. | | D22/108 |
| D585,517 | S * | 1/2009 | Faifer et al. | | D22/108 |
| D633,163 | S * | 2/2011 | Fitzpatrick et al. | | D22/108 |
| 2002/0100204 | A1 * | 8/2002 | Kim | | 42/146 |
| 2011/0047850 | A1 * | 3/2011 | Rievley et al. | | 42/72 |

* cited by examiner

Primary Examiner — T. Chase Nelson

Assistant Examiner — Michael Pratt

(74) *Attorney, Agent, or Firm* — Deborah Gador


(57) **CLAIM**

The ornamental design for a grip with bipod, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the claimed grip showing my new design, in closed orientation;
 FIG. 2 is a rear perspective view thereof;
 FIG. 3 is a rear view thereof in a deployed orientation;
 FIG. 4 is a front view thereof in a deployed orientation;
 FIG. 5 is a rear view thereof in a deployed orientation pivoted to one side;
 FIG. 6 is a rear view thereof in a deployed orientation pivoted to the other side;
 FIG. 7 is a front perspective view thereof in a deployed orientation swiveled to one side;
 FIG. 8 is a rear perspective view thereof in a deployed orientation swiveled to the other side;
 FIG. 9 is a front perspective view thereof in a deployed orientation tilted to one side and swiveled to the other side;
 and,
 FIG. 10 is a rear view thereof in a deployed orientation swiveled to one side and tilted to the other side.

1 Claim, 4 Drawing Sheets






FIG.1




FIG.2








FIG.3

FIG.4






FIG. 9




FIG. 10