



US00D644917S

(12) **United States Design Patent**  
**Lee**

(10) **Patent No.:** **US D644,917 S**  
(45) **Date of Patent:** **\*\* Sep. 13, 2011**

(54) **CONTROL CORD SAFETY CONNECTOR**

(76) Inventor: **Han-Sen Lee, Chang-Hwa Hsien (TW)**

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/389,124**

(22) Filed: **Apr. 6, 2011**

(51) **LOC (9) Cl.** ..... **08-05**

(52) **U.S. Cl.** ..... **D8/356**

(58) **Field of Classification Search** ..... D6/580,  
D6/513, 113; D8/397, 367, 356, 394, 382,  
D8/349, 354, 373; 174/68.3; 411/431; 256/19;  
D13/133; 24/115 F

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,532,177	A *	4/1925	Gist	.....	248/89
1,892,157	A *	12/1932	Maier	.....	47/65.7
2,700,847	A *	2/1955	Brasol	.....	47/65.7
4,330,005	A *	5/1982	Kjarsgaard	.....	137/355.28
4,481,733	A *	11/1984	Jacobs	.....	47/71

D287,346	S *	12/1986	Bussell	.....	D11/151
D330,322	S *	10/1992	Wilson	.....	D8/356
D433,544	S *	11/2000	Nesbit-Yontz	.....	D30/161
D636,205	S *	4/2011	Chou	.....	D6/580

\* cited by examiner

*Primary Examiner* — Cynthia Underwood

(74) *Attorney, Agent, or Firm* — Curtis L. Harrington;  
Harrington & Harrington

(57) **CLAIM**

The ornamental design for a control cord safety connector, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view of the control cord safety connector and which illustrates window covering cords in broken line as a part of the environment and forming no part of the invention;

FIG. 2 is a front view identical to a right, left and rear view;


FIG. 3 is a top view; and,

FIG. 4 is a bottom view.


**1 Claim, 2 Drawing Sheets**




*Fig. 1*



*Fig. 2*



*Fig. 3*



*Fig. 4*

