



US00D644917S

(12) **United States Design Patent**  
**Lee**

(10) **Patent No.:** **US D644,917 S**  
(45) **Date of Patent:** **\*\* Sep. 13, 2011**

- (54) **CONTROL CORD SAFETY CONNECTOR**
  - (76) Inventor: **Han-Sen Lee, Chang-Hwa Hsien (TW)**
  - (\*\*) Term: **14 Years**
  - (21) Appl. No.: **29/389,124**
  - (22) Filed: **Apr. 6, 2011**
  - (51) **LOC (9) Cl.** ..... **08-05**
  - (52) **U.S. Cl.** ..... **D8/356**
  - (58) **Field of Classification Search** ..... D6/580,  
D6/513, 113; D8/397, 367, 356, 394, 382,  
D8/349, 354, 373; 174/68.3; 411/431; 256/19;  
D13/133; 24/115 F
- See application file for complete search history.

D287,346 S \* 12/1986 Bussell ..... D11/151  
D330,322 S \* 10/1992 Wilson ..... D8/356  
D433,544 S \* 11/2000 Nesbit-Yontz ..... D30/161  
D636,205 S \* 4/2011 Chou ..... D6/580

\* cited by examiner

*Primary Examiner* — Cynthia Underwood  
(74) *Attorney, Agent, or Firm* — Curtis L. Harrington;  
Harrington & Harrington

(57) **CLAIM**  
The ornamental design for a control cord safety connector, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view of the control cord safety connector and which illustrates window covering cords in broken line as a part of the environment and forming no part of the invention;  
FIG. 2 is a front view identical to a right, left and rear view;  
FIG. 3 is a top view; and,  
FIG. 4 is a bottom view.

**1 Claim, 2 Drawing Sheets**


(56) **References Cited**

**U.S. PATENT DOCUMENTS**


- 1,532,177 A \* 4/1925 Gist ..... 248/89
- 1,892,157 A \* 12/1932 Maier ..... 47/65.7
- 2,700,847 A \* 2/1955 Brasol ..... 47/65.7
- 4,330,005 A \* 5/1982 Kjarsgaard ..... 137/355.28
- 4,481,733 A \* 11/1984 Jacobs ..... 47/71




*Fig. 1*



*Fig. 2*



*Fig. 3*



*Fig. 4*

