



US00D645177S

(12) **United States Design Patent**
Okuda

(10) **Patent No.:** **US D645,177 S**

(45) **Date of Patent:** **** Sep. 13, 2011**

(54) **LIGHT**

(75) **Inventor:** **Yoji Okuda**, Osaka (JP)

(73) **Assignee:** **Cateye Co., Ltd.**, Osaka (JP)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/316,461**

(22) **Filed:** **Sep. 30, 2009**

(30) **Foreign Application Priority Data**

Apr. 27, 2009 (JP) 2009-009727

(51) **LOC (9) Cl.** **26-06**

(52) **U.S. Cl.** **D26/28; D12/345**

(58) **Field of Classification Search** D26/28-36;
D12/345; 362/459-468, 475-478, 485-487
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D581,081 S 11/2008 Mier-Langner
D606,682 S * 12/2009 Chang D26/28

D619,277 S * 7/2010 Johnson et al. D26/28
D619,741 S * 7/2010 Beigel et al. D26/28
D620,159 S * 7/2010 Beigel et al. D26/28
D626,057 S * 10/2010 Calvin et al. D12/345

FOREIGN PATENT DOCUMENTS

JP D-1306568 7/2007

* cited by examiner

Primary Examiner — Marcus Jackson

(74) *Attorney, Agent, or Firm* — Olson & Cepuritis, Ltd.


(57) **CLAIM**

The ornamental design for a light, as shown.

DESCRIPTION

FIG. 1 is a perspective view of a light showing my new design;
FIG. 2 is a front thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a right side view thereof; and,
FIG. 7 is a left side view thereof.

1 Claim, 7 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7