

US00D645372S

(12) **United States Design Patent**
Hall et al.

(10) **Patent No.:** **US D645,372 S**
(45) **Date of Patent:** **** Sep. 20, 2011**

(54) **DETECTOR COWLING**

(75) Inventors: **David L. Hall**, Pontiac, MI (US);
Andrew D. Frost, Berkley, MI (US)

(73) Assignee: **Air Products and Controls Inc.**,
Pontiac, MI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/380,020**

(22) Filed: **Nov. 29, 2010**

(51) **LOC (9) Cl.** **10-05**

(52) **U.S. Cl.** **D10/106.2**

(58) **Field of Classification Search** D10/106.2,
D10/106.4; 340/542–545, 555, 558, 628,
340/630, 571–73, 577, 579
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | | |
|-----------|---|---|---------|----------------|-------|-----------|
| D271,089 | S | * | 10/1983 | Mallory | | D10/121 |
| 4,529,976 | A | | 7/1985 | Jameson et al. | | |
| D319,600 | S | * | 9/1991 | Kaiser et al. | | D10/106.2 |
| D339,078 | S | | 9/1993 | Behlke | | |
| D356,050 | S | | 3/1995 | Tice et al. | | |
| 5,410,299 | A | | 4/1995 | Hard | | |
| D368,042 | S | * | 3/1996 | Pun | | D10/106.6 |
| D591,630 | S | * | 5/2009 | Tsurumi | | D10/106.5 |

OTHER PUBLICATIONS

Honeywell Product Sheet, Innovair Flex, Intelligent Non-Relay Photoelectric Duct Smoke Detector,[Retrieved on Feb. 8, 2011]
Retrieved from <http://www.firelite.com/datasheets/df-60430.pdf>.
Air Products and Controls Product Sheets, SL-2000 Series Duct Smoke Detectors, [Retrieved on Feb. 8, 2011], Retrieved from http://www.apc.com/products/duct_smoke_n_accessories/SL2000.asp.

* cited by examiner

Primary Examiner — Caron D Veynar

Assistant Examiner — George D Kirschbaum

(74) *Attorney, Agent, or Firm* — Gifford, Krass, Spinkle,
Anderson & Citkowski, P.C.



(57) **CLAIM**

The ornamental design for a detector cowling, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an inventive cowling;
FIG. 2 is a top view of the inventive detector cowling depicted in FIG. 1;
FIG. 3 is a left side view of the inventive detector cowling depicted in FIG. 1;
FIG. 4 is a back side view of the inventive cowling depicted in FIG. 1;
FIG. 5 is a front side view of the inventive detector cowling depicted in FIG. 1; and,
FIG. 6 is a bottom view of the inventive detector cowling depicted in FIG. 1.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6