

US00D645402S

(12) **United States Design Patent**
Ushijima et al.

(10) **Patent No.:** **US D645,402 S**

(45) **Date of Patent:** **** Sep. 20, 2011**

(54) **ASSEMBLED BATTERY**

(75) Inventors: **Osamu Ushijima**, Tokyo (JP);
Yoshitaka Ishida, Tokyo (JP); **Takahiro**
Shizuki, Tokyo (JP); **Hiroshi Mukai**,
Tokyo (JP)

(73) Assignee: **GS Yuasa International Ltd.**, Kyoto
(JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/384,203**

(22) Filed: **Jan. 28, 2011**

(51) **LOC (9) Cl.** **13-02**

(52) **U.S. Cl.** **D13/103; D13/106**

(58) **Field of Classification Search** D13/102–106,
D13/110, 118–119, 184, 199; 429/96–100,
429/163, 176

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,052,449	A *	2/1913	Beck		429/95
4,435,486	A *	3/1984	Pomaro et al.		429/1
D280,318	S *	8/1985	Barone		D13/110
D298,029	S *	10/1988	Foster		D13/119
D499,070	S *	11/2004	Lavington		D13/119
D517,479	S *	3/2006	Schemm		D13/119
D602,428	S *	10/2009	Masuda et al.		D13/103
D604,696	S *	11/2009	Tasai		D13/104
D615,489	S *	5/2010	Masuda et al.		D13/103

* cited by examiner

Primary Examiner — Rosemary K Tarcza

(74) *Attorney, Agent, or Firm* — Clark & Brody

(57) **CLAIM**

The ornamental design for an assembled battery, as shown and described.

DESCRIPTION

FIG. 1 is a front side perspective view of a first embodiment of an assembled battery, showing my new design;

FIG. 2 is a front side view thereof;

FIG. 3 is a rear side view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof;

FIG. 8 is a front side perspective view of a second embodiment of an assembled battery, showing my new design;

FIG. 9 is a front side view thereof;

FIG. 10 is a rear side view thereof;

FIG. 11 is a right side view thereof;


FIG. 12 is a left side view thereof;

FIG. 13 is a top view thereof; and,

FIG. 14 is a bottom view thereof.

The broken lines shown in the drawings are included for the purpose of illustrating unclaimed portions of the assembled battery and form no part of the claimed design.

1 Claim, 10 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION


PATENT NO. : D645,402 S
APPLICATION NO. : 29/384203
DATED : September 20, 2011
INVENTOR(S) : Ushijima et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page, Item (75) Inventors' residence should read KYOTO instead of TOKYO

Signed and Sealed this
Twentieth Day of March, 2012

A handwritten signature in black ink, reading "David J. Kappos". The signature is written in a cursive, flowing style with a large initial "D" and a stylized "K".

David J. Kappos
Director of the United States Patent and Trademark Office