



US00D645418S

(12) **United States Design Patent**
Morikawa et al.

(10) **Patent No.:** **US D645,418 S**
(45) **Date of Patent:** **** Sep. 20, 2011**

(54) **LIGHT SOURCE OF LIGHT EMITTING DIODE**

(76) Inventors: **Makoto Morikawa**, Nara (JP); **Toshifumi Ogata**, Osaka (JP); **Kenji Sugiura**, Osaka (JP); **Noriyasu Tanimoto**, Osaka (JP); **Masumi Abe**, Osaka (JP); **Ryo Minamihata**, Osaka (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/378,852**

(22) Filed: **Nov. 10, 2010**

(30) **Foreign Application Priority Data**

May 14, 2010 (JP) 2010-011827
May 14, 2010 (JP) 2010-011828
May 14, 2010 (JP) 2010-011830

(51) **LOC (9) Cl.** **13-03**

(52) **U.S. Cl.** **D13/180**

(58) **Field of Classification Search** D13/180;
D26/1, 24, 72, 120, 138; 313/483, 498, 500;
362/555, 800; 257/79, 80, 81, 88, 89, 95,
257/98, 99, 100, E33.058

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D440,513 S * 4/2001 Smith D10/114.3
6,855,962 B2 * 2/2005 Shakuda et al. 257/99
D510,913 S * 10/2005 Sumitani D13/180
D528,996 S * 9/2006 Egawa D13/180
D531,139 S * 10/2006 Egawa et al. D13/180
D535,262 S * 1/2007 Saito et al. D13/180
D554,277 S 10/2007 Liu et al.
D565,753 S * 4/2008 Uemoto et al. D26/24
D566,059 S * 4/2008 Tanaka D13/180
D566,303 S 4/2008 Uemoto et al.
D587,218 S * 2/2009 Imai et al. D13/180
D597,502 S * 8/2009 Ogata et al. D13/180

D627,921 S * 11/2010 Chen D26/138
7,837,370 B2 * 11/2010 Bierhuizen et al. 362/555
D629,963 S * 12/2010 Little et al. D26/138
7,872,418 B2 * 1/2011 Hata et al. 313/512
D636,355 S * 4/2011 Tsai et al. D13/180
D636,356 S * 4/2011 Yamada D13/180

FOREIGN PATENT DOCUMENTS

JP D1294310 2/2007
JP D1294311 2/2007

* cited by examiner

Primary Examiner — Selina Sikder

(74) *Attorney, Agent, or Firm* — Brinks Hofer Gilson & Lione

(57) **CLAIM**

We claim the ornamental design for a light source of light emitting diode, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a first embodiment of a light source of light emitting diode of the present invention; FIG. 2 is a front view thereof; FIG. 3 is a rear view thereof; FIG. 4 is a first side view thereof; FIG. 5 is a second side view thereof; FIG. 6 is a top view thereof; FIG. 7 is a bottom view thereof; FIG. 8 is a front perspective view of a second embodiment of a light source of light emitting diode of the present invention; FIG. 9 is a front view thereof; FIG. 10 is a rear view thereof; FIG. 11 is a first side view thereof; FIG. 12 is a second side view thereof; FIG. 13 is a top view thereof; and, FIG. 14 is a bottom view thereof.

The broken line showing of light source of light emitting diode is included for the purpose of illustrating environment and forms no part of the claimed design.

1 Claim, 14 Drawing Sheets




FIG.1




FIG.2




FIG.3



FIG.4




FIG.5




FIG.6




FIG.7




FIG.8




FIG.9




FIG.10



FIG.11




FIG.12




FIG.13




FIG.14

