

US00D645565S

(12) **United States Design Patent**
Smith et al.

(10) **Patent No.:** **US D645,565 S**
(45) **Date of Patent:** **** Sep. 20, 2011**

(54) **DEVICE FOR STIMULATING THE
MEIBOMIAN GLANDS OF THE EYELID**

(75) Inventors: **Walton F. Smith**, Ranchester, WY (US);
David Yakos, Bozeman, MT (US);
Randy Larimer, Bozeman, MT (US)

(73) Assignee: **Walton F. Smith**, Ranchester, WY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/363,976**

(22) Filed: **Jun. 16, 2010**

(51) **LOC (9) Cl.** **28-03**

(52) **U.S. Cl.** **D24/200**

(58) **Field of Classification Search** D24/200,
D24/133, 144, 170, 185, 186, 215, 214; 606/2,
606/32, 89; 607/2, 96, 98, 99, 115, 145,
607/148; 601/1, 15-22, 89, 10
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,387,707	A	6/1983	Polikoff	
4,918,818	A	4/1990	Hsieh	
D315,958	S *	4/1991	Castel et al.	D24/214
D323,034	S *	1/1992	Reinstein	D24/200
D331,288	S *	11/1992	Yuen	D24/214
D347,283	S *	5/1994	Von Winckler	D24/214
D366,703	S *	1/1996	Huen	D24/214
D382,646	S *	8/1997	Shalvi	D24/214
6,001,070	A *	12/1999	Gebhard	601/15
6,275,735	B1	8/2001	Jarding et al.	
D479,324	S *	9/2003	Greaney	D24/133
D481,132	S *	10/2003	Kim	D24/200
7,069,084	B2	6/2006	Yee	
7,122,013	B2	10/2006	Liu	
D540,947	S *	4/2007	Jung et al.	D24/200
7,258,675	B2 *	8/2007	Nichols	601/10

D556,332	S *	11/2007	Han	D24/200
7,384,405	B2	6/2008	Rhoades	
7,637,878	B2	12/2009	Lin	
D636,088	S *	4/2011	Loew et al.	D24/200
2002/0156402	A1	10/2002	Woog et al.	
2003/0233135	A1	12/2003	Yee	
2006/0058714	A1	3/2006	Rhoades	
2006/0200052	A1	9/2006	Lin	
2006/0206041	A1	9/2006	Liu	
2008/0200848	A1	8/2008	Avni	

* cited by examiner

Primary Examiner — David Muller

(74) *Attorney, Agent, or Firm* — Antoinette M. Tease

(57) **CLAIM**

The ornamental design for a device for stimulating the meibomian glands of the eyelid, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a device for stimulating the meibomian glands of the eyelid, inserted in a charging base, showing my new design.

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a first side view thereof;

FIG. 5 is a second side view thereof;

FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof;

FIG. 8 is a perspective view of the device shown separately without the charging base, for clarity of illustration;

FIG. 9 is a front view thereof;

FIG. 10 is a rear view thereof;


FIG. 11 is a first side view thereof;

FIG. 12 is a second side view thereof;

FIG. 13 is a top view thereof; and,

FIG. 14 is a bottom view thereof.

1 Claim, 8 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14