



US00D646025S

(12) **United States Design Patent**  
**Sallon**

(10) **Patent No.:** **US D646,025 S**  
(45) **Date of Patent:** **\*\* Sep. 27, 2011**

(54) **COVERALL**

(75) Inventor: **David Sallon**, Cheshire (GB)

(73) Assignee: **Dailys Limited** (GB)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/312,899**

(22) Filed: **Nov. 19, 2008**

**Related U.S. Application Data**

(63) Continuation of application No. 29/245,956, filed on Dec. 30, 2005, now abandoned.

(51) **LOC (9) Cl.** ..... **29-03**

(52) **U.S. Cl.** ..... **D29/100**

(58) **Field of Classification Search** ..... D29/100,  
D29/101.1, 101.2, 101.3, 101.4, 101.5; 2/69,  
2/79, 115, 159, 164, 174, 202, 239, 456;  
156/212; D2/743

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,521,767 A	9/1950	Simonzecha	
D166,904 S	6/1952	Bridges	
2,679,647 A	6/1954	Elwin	
2,994,089 A	8/1961	Ferguson, Jr. et al.	
3,113,320 A	12/1963	Cherowbrier et al.	
3,594,817 A	7/1971	Kelly	
4,124,903 A	11/1978	Shaw	
4,577,348 A	3/1986	Hoffmann	
4,677,696 A	7/1987	Tanaka	
4,856,113 A	8/1989	Moscatelli	
4,860,382 A	8/1989	Markwell	
4,901,370 A	2/1990	Suda	
D313,691 S *	1/1991	Bassett et al. ....	D2/743
4,985,933 A	1/1991	Lemoine	
5,014,357 A	5/1991	Wiseman, Sr.	
5,082,721 A	1/1992	Smith et al.	
5,090,053 A	2/1992	Hayes	
5,097,534 A	3/1992	Viemeister et al.	
D358,928 S *	6/1995	Slagle et al. ....	D2/743
5,458,516 A	10/1995	Uglene et al.	

5,487,189 A	1/1996	Bell
D369,454 S	5/1996	Olsen
5,539,930 A	7/1996	Sesselmann
5,960,475 A	10/1999	Fewtrell
5,966,747 A	10/1999	Crupi et al.
D429,384 S	8/2000	Crupi et al.
6,286,144 B1	9/2001	Henderson et al.
6,477,711 B1	11/2002	Freeman et al.
D475,812 S	6/2003	Kalaam et al.

(Continued)

*Primary Examiner* — Susan Bennett Hattan

*Assistant Examiner* — Barbara Lohr

(74) *Attorney, Agent, or Firm* — Charles N. Quinn, Esq.; Fox Rothschild LLP

(57) **CLAIM**

The ornamental design for a coverall, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of a coverall shown in use with the front opening of the coverall closed.

FIG. 2 is a front view thereof shown in an alternate position of use.

FIG. 3 is a front view thereof with the front of the coverall shown opened.

FIG. 4 is a left side view thereof with the front opening of the coverall shown closed.

FIG. 5 is a right side view thereof with the front opening of the coverall shown closed.

FIG. 6 is a rear view of a coverall.

FIG. 7 is a rear view thereof shown in an alternate position of use.

FIG. 8 is an enlarged fragmentary front view thereof, showing the upper portion of the coverall with the front opening of the coverall shown closed.

FIG. 9 is an enlarged fragmentary view of the coverall, showing the lower front portion thereof; and,

FIG. 10 is an enlarged fragmentary view of the coverall, showing the front portion of the coverall in an alternate position of use with the front opening closed.

**1 Claim, 10 Drawing Sheets**



# US D646,025 S

Page 2

---

U.S. PATENT DOCUMENTS							
				7,594,281	B1 *	9/2009	Stinson et al. .... 2/456
6,604,248	B1	8/2003	Brown	2003/0229936	A1	12/2003	Tremblay-Lutter et al.
6,748,609	B1	6/2004	Garigan	2006/0277667	A1	12/2006	Plut
D493,946	S *	8/2004	Jones et al. .... D2/743	2006/0282940	A1	12/2006	Martini et al.
7,062,786	B2	6/2006	Stinton				
D553,297	S *	10/2007	Sumpter ..... D29/100				* cited by examiner



FIG. 1



FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6






FIG. 7



FIG. 8



FIG. 9



FIG. 10