

US00D646153S

(12) **United States Design Patent**
Andersson

(10) **Patent No.:** **US D646,153 S**
(45) **Date of Patent:** **** Oct. 4, 2011**

(54) **LOCK NUT**

(75) Inventor: **Mattias Andersson**, Mattmar (SE)

(73) Assignee: **Nord-Lock AB** (SE)

(**) Term: **14 Years**

(21) Appl. No.: **29/353,226**

(22) Filed: **Jan. 5, 2010**

(30) **Foreign Application Priority Data**

Jul. 6, 2009 (EM) 001572124-0001
Jul. 6, 2009 (EM) 001572124-0002

(51) **LOC (9) Cl.** **08-08**

(52) **U.S. Cl.** **D8/397**

(58) **Field of Classification Search** D8/397,
D8/399, 394, 382, 349, 8; D15/138; D23/262;
411/432, 108, 353, 404, 410, 919, 147, 957
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D26,801 S * 3/1897 Spear D8/399
D28,212 S * 1/1898 Biedenfeld D8/397
D32,218 S * 2/1900 Dougherty D8/399
D32,492 S * 4/1900 Dickason D8/399
2,001,956 A * 5/1935 England 470/42
4,134,438 A * 1/1979 Frieberg et al. 411/163
D263,679 S * 4/1982 Frieberg D8/399
D263,791 S * 4/1982 Frieberg D8/399
D263,792 S * 4/1982 Frieberg D8/399
4,389,766 A * 6/1983 Capuano 29/432.2
D269,852 S * 7/1983 Frieberg D8/399
D273,562 S * 4/1984 Frieberg D8/399
D276,310 S * 11/1984 Frieberg D8/399
5,011,351 A * 4/1991 Terry 411/144
D453,000 S * 1/2002 Shinjo et al. D8/397

D459,207 S * 6/2002 Miyata D8/397
D512,886 S * 12/2005 Christensen D8/14
D551,972 S * 10/2007 Jacobs et al. D9/445
7,568,874 B2 * 8/2009 Riedel et al. 411/435
D602,349 S * 10/2009 Andersson D8/399
D609,999 S * 2/2010 Andersson
D614,247 S * 4/2010 Clausen D21/488
2002/0136617 A1 * 9/2002 Imahigashi 411/533

OTHER PUBLICATIONS

“Indian Design Application Serial No. 226266, Examination Report dated Mar. 3, 2010”, 2 pgs.

“Japanese Design Application Serial No. 2010-000208, Official Action mailed May 24, 2010”, (w/English Translation), 4 pgs.

* cited by examiner

Primary Examiner — Cynthia Underwood

(74) *Attorney, Agent, or Firm* — Schwegman, Lundberg & Woessner, P.A.

(57) **CLAIM**

The ornamental design for a lock nut, as shown and described.

DESCRIPTION

FIG. 1 is a front/top side perspective view of the lock nut 1 according to my design;

FIG. 2 is a front view with the top side oriented up thereof;

FIG. 3 is a back view with the top side oriented down thereof;

FIG. 4 is a right side view with the top side oriented to the right thereof;


FIG. 5 is a left side view with the top side oriented to the left thereof;

FIG. 6 is a top view thereof; and,

FIG. 7 is a bottom view thereof.

The broken lines are included for the purpose of illustrating portions of the structure that form no part of the claimed design.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7