



US00D646169S

(12) **United States Design Patent**
Bretz et al.(10) **Patent No.:** **US D646,169 S**
(45) **Date of Patent:** ** *Oct. 4, 2011(54) **BOTTLE**(75) Inventors: **John M. Bretz**, Crystal Lake, IL (US);
Susan L. Colten, Wilmette, IL (US);
Rachel Orland, Chicago, IL (US);
Jeffrey L. Pattee, Palatine, IL (US);
Susan Vanderwiel, Palatine, IL (US);
David Piccioli, Auburn, NH (US);
Bradley L. Allen, St. Charles, MO (US);
Bryce Rutter, St. Louis, MO (US);
William Scott Portzline, Portland, OR (US)(73) Assignee: **Stokely-Van Camp, Inc.**, Chicago, IL (US)

(*) Notice: This patent is subject to a terminal disclaimer.


(**) Term: **14 Years**(21) Appl. No.: **29/162,340**(22) Filed: **Jun. 13, 2002**
(Under 37 CFR 1.47)

D166,542	S	4/1952	Kunett
D183,040	S	6/1958	Du Pree
3,331,521	A	7/1967	Paige
D208,504	S	9/1967	Trombley
D214,158	S	5/1969	Pettengill
D217,230	S	4/1970	Kessig
D218,019	S	7/1970	Lattraye
D235,736	S	7/1975	Strand
D236,413	S	* 8/1975	Achenback
D240,018	S	* 5/1976	Reynolds
D241,715	S	10/1976	Plummer
D269,500	S	6/1983	Bit
D270,520	S	9/1983	Strand
D283,794	S	5/1986	Richter
D292,269	S	10/1987	Jacobs et al.
D292,374	S	10/1987	Jacobs et al.
D292,375	S	10/1987	Jacobs et al.
D300,511	S	4/1989	Cramer
4,850,494	A	7/1989	Howard, Jr.
D306,262	S	2/1990	Bit
4,907,709	A	* 3/1990	Abe et al.
D315,869	S	4/1991	Collette
5,024,341	A	6/1991	Dekerle
D320,154	S	9/1991	Alberghini et al.
5,141,120	A	8/1992	Brown et al.
D334,342	S	3/1993	Thompson
D335,084	S	4/1993	Snyder
D344,457	S	2/1994	Prevot et al.
D345,693	S	4/1994	Edstrom
5,303,834	A	4/1994	Krishnakumar et al.
D348,606	S	7/1994	Edstrom
5,337,909	A	8/1994	Vailliencourt
5,341,946	A	8/1994	Vailliencourt et al.
D352,245	S	11/1994	Krishnakumar et al.
5,385,250	A	1/1995	Pasquale
D370,178	S	5/1996	Petre et al.
D372,091	S	7/1996	McCallister et al.
D374,147	S	10/1996	Lillelund et al.
D379,150	S	5/1997	Richardson
D379,151	S	5/1997	Stevens
D379,224	S	5/1997	McCallister et al.
D379,306	S	5/1997	Peykoff
5,632,397	A	5/1997	Fandeux et al.
D379,760	S	6/1997	Zogg
D379,762	S	6/1997	Zogg
5,635,229	A	6/1997	Ray
D382,806	S	8/1997	Wilson et al.
5,746,339	A	5/1998	Petre et al.
5,759,653	A	6/1998	Collette et al.
D396,413	S	7/1998	Duboff
D396,640	S	8/1998	Conrad et al.
D397,297	S	8/1998	Yang
D397,614	S	9/1998	Krishnakumar et al.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D64,152 S 3/1924 Sweeney
D116,861 S 9/1939 Mas
D159,616 S 8/1950 Hoffman



D397,941 S	9/1998	Lauth
D398,538 S	9/1998	Fuquen et al.
D398,539 S	9/1998	Guislain
D399,424 S	10/1998	Young
D401,860 S	12/1998	Mentasti Granelli
D403,587 S	1/1999	Thornley et al.
D404,306 S	1/1999	Steinke
D407,649 S	4/1999	McCallister et al.
D411,453 S	6/1999	Piccioli et al.
5,908,128 A	6/1999	Krishnakumar et al.
D434,664 S *	12/2000	Bretz et al. D9/520
D435,795 S *	1/2001	Bretz et al. D9/520
D445,026 S *	7/2001	Bretz et al. D9/434
D445,031 S *	7/2001	Bretz et al. D9/502
D445,034 S *	7/2001	Bretz et al. D9/520
D445,035 S *	7/2001	Bretz et al. D9/520
D445,333 S *	7/2001	Bretz et al. D9/434
D448,670 S *	10/2001	Bretz et al. D9/520
D448,997 S *	10/2001	Allen et al. D9/520
D471,452 S *	3/2003	Bretz et al. D9/434
D512,312 S *	12/2005	Bretz et al. D9/500

FOREIGN PATENT DOCUMENTS

JP 1009146 1/1989
PH 5553 2/1993

OTHER PUBLICATIONS

Picture of Gatorade "The Gripper" bottle, shown to consumers Jun. 29, 1996.
Pictures of 24 oz. E.D.G.E. (Ergonomic/Worm) Bottles, exhibited to consumers Dec. 9, 1996.

* cited by examiner

Primary Examiner — Lucy Lieberman
(74) *Attorney, Agent, or Firm* — Banner & Witcoff, Ltd.

(57) CLAIM

The ornamental design for a bottle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a bottle showing a first embodiment of our bottle design;
FIG. 2 is a front view of the bottle depicted in FIG. 1;
FIG. 3 is a side view of the bottle depicted in FIG. 2 representing a partial rotation of the bottle about its vertical center axis from the front view depicted in FIG. 2;
FIG. 4 is another side view of the bottle depicted in FIGS. 2 and 3 representing a partial rotation of the bottle about its vertical center axis from the front view depicted in FIG. 2 and the side view depicted in FIG. 3;
FIG. 5 is another side view of the bottle depicted in FIGS. 2, 3 and 4 representing a partial rotation of the bottle about its vertical center axis from the front view depicted in FIG. 2 and the side views depicted in FIGS. 3 and 4;
FIG. 6 is a top view of the bottle depicted in FIG. 2;
FIG. 7 is a bottom view of the bottle depicted FIG. 2;
FIG. 8 is a perspective view of a second embodiment of a bottle as depicted in FIG. 1;
FIG. 9 is a front view of the bottle depicted in FIG. 8;
FIG. 10 is a side view of the bottle depicted in FIG. 9 representing a partial rotation of the bottle about its vertical center axis from the front view depicted in FIG. 9;
FIG. 11 is another side view of the bottle depicted in FIGS. 9 and 10 representing a partial rotation of the bottle about its

vertical center axis from the front view depicted in FIG. 9 and the side view depicted in FIG. 10;
FIG. 12 is another side view of the bottle depicted in FIGS. 9, 10 and 11 representing a partial rotation of the bottle about its vertical center axis from the front view depicted in FIG. 9 and the side views depicted in FIGS. 10 and 11;
FIG. 13 is a top view of the bottle depicted in FIG. 9;
FIG. 14 is a bottom view of the bottle depicted FIG. 9;
FIG. 15 is a perspective view of a third embodiment of a bottle as depicted in FIG. 1;
FIG. 16 is a front view of the bottle depicted in FIG. 15;
FIG. 17 is a side view of the bottle depicted in FIG. 16 representing a partial rotation of the bottle about its vertical center axis from the front view depicted in FIG. 16;
FIG. 18 is another side view of the bottle depicted in FIGS. 16 and 17 representing a partial rotation of the bottle about its vertical center axis from the front view depicted in FIG. 16 and the side view depicted in FIG. 17;
FIG. 19 is another side view of the bottle depicted in FIGS. 16, 17 and 18 representing a partial rotation of the bottle about its vertical center axis from the front view depicted in FIG. 16 and the side views depicted in FIGS. 17 and 18;
FIG. 20 is a top view of the bottle depicted in FIG. 16;
FIG. 21 is a bottom view of the bottle depicted FIG. 16;
FIG. 22 is a perspective view of a fourth embodiment of a bottle as depicted in FIG. 1;
FIG. 23 is a front view of the bottle depicted in FIG. 22;
FIG. 24 is a side view of the bottle depicted in FIG. 23 representing a partial rotation of the bottle about its vertical center axis from the front view depicted in FIG. 23;
FIG. 25 is another side view of the bottle depicted in FIGS. 23 and 24 representing a partial rotation of the bottle about its vertical center axis from the front view depicted in FIG. 23 and the side view depicted in FIG. 24;
FIG. 26 is another side view of the bottle depicted in FIGS. 23, 24 and 25 representing a partial rotation of the bottle about its vertical center axis from the front view depicted in FIG. 23 and the side views depicted in FIGS. 24 and 25;
FIG. 27 is a top view of the bottle depicted in FIG. 23; and
FIG. 28 is a bottom view of the bottle depicted FIG. 23.
FIG. 29 is a perspective view of a fifth embodiment of a bottle as depicted in FIG. 1;
FIG. 30 is a front view of the bottle depicted in FIG. 29;
FIG. 31 is a side view of the bottle depicted in FIG. 30 representing a partial rotation of the bottle about its vertical center axis from the front view depicted in FIG. 30;
FIG. 32 is another side view of the bottle depicted in FIGS. 30 and 31 representing a partial rotation of the bottle about its vertical center axis from the front view depicted in FIG. 30 and the side view depicted in FIG. 31;
FIG. 33 is another side view of the bottle depicted in FIGS. 30, 31 and 32 representing a partial rotation of the bottle about its vertical center axis from the front view depicted in FIG. 30 and the side views depicted in FIGS. 31 and 32;
FIG. 34 is a top view of the bottle depicted in FIG. 30; and,
FIG. 35 is a bottom view of the bottle depicted FIG. 30.
The uneven-length broken lines represent unclaimed boundaries of the claimed design. The even-length broken lines showing the remainder of the BOTTLE are for environmental purposes only and does not form part of the claimed design.

FIG. 1







FIG. 2**FIG. 6****FIG. 7**

FIG. 3




FIG. 4




FIG. 5




FIG. 8






FIG. 9**FIG. 13****FIG. 14**

FIG. 10




FIG. 11




FIG. 12




FIG. 15






FIG. 16**FIG. 20****FIG. 21**

FIG. 17




FIG. 18




FIG. 19




FIG. 22




FIG. 23




FIG. 27




FIG. 28




FIG. 24




FIG. 25




FIG. 26




FIG. 29




FIG. 30




FIG. 34




FIG. 35




FIG. 31




FIG. 32




FIG. 33

