



US00D646169S

(12) **United States Design Patent**
Bretz et al.

(10) **Patent No.:** **US D646,169 S**

(45) **Date of Patent:** **** *Oct. 4, 2011**

(54) **BOTTLE**

(75) Inventors: **John M. Bretz**, Crystal Lake, IL (US);
Susan L. Colten, Wilmette, IL (US);
Rachel Orland, Chicago, IL (US);
Jeffrey L. Pattee, Palatine, IL (US);
Susan Vanderwiell, Palatine, IL (US);
David Piccioli, Auburn, NH (US);
Bradley L. Allen, St. Charles, MO (US);
Bryce Rutter, St. Louis, MO (US);
William Scott Portzline, Portland, OR (US)

(73) Assignee: **Stokely-Van Camp, Inc.**, Chicago, IL (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/162,340**

(22) Filed: **Jun. 13, 2002**
(Under 37 CFR 1.47)

Related U.S. Application Data

(63) Continuation of application No. 29/071,704, filed on Jun. 4, 1997, now abandoned, which is a continuation-in-part of application No. 29/064,098, filed on Dec. 6, 1996, now abandoned.

(51) **LOC (9) Cl.** **09-01**

(52) **U.S. Cl.** **D9/520; D9/538; D9/557**


(58) **Field of Classification Search** D9/500-505,
D9/520, 530, 537-543, 544-546, 549-558,
D9/559, 570; 215/379, 381, 382, 383, 384
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D64,152 S 3/1924 Sweeney
D116,861 S 9/1939 Mas
D159,616 S 8/1950 Hoffman

D166,542 S	4/1952	Kunett	
D183,040 S	6/1958	Du Pree	
3,331,521 A	7/1967	Paige	
D208,504 S	9/1967	Trombley	
D214,158 S	5/1969	Pettengill	
D217,230 S	4/1970	Kessig	
D218,019 S	7/1970	Lattraye	
D235,736 S	7/1975	Strand	
D236,413 S *	8/1975	Achenback	D7/615
D240,018 S *	5/1976	Reynolds	D9/500
D241,715 S	10/1976	Plummer	
D269,500 S	6/1983	Bit	
D270,520 S	9/1983	Strand	
D283,794 S	5/1986	Richter	
D292,269 S	10/1987	Jacobs et al.	
D292,374 S	10/1987	Jacobs et al.	
D292,375 S	10/1987	Jacobs et al.	
D300,511 S	4/1989	Cramer	
4,850,494 A	7/1989	Howard, Jr.	
D306,262 S	2/1990	Bit	
4,907,709 A *	3/1990	Abe et al.	215/252
D315,869 S	4/1991	Collette	
5,024,341 A	6/1991	Dekerle	
D320,154 S	9/1991	Alberghini et al.	
5,141,120 A	8/1992	Brown et al.	
D334,342 S	3/1993	Thompson	
D335,084 S	4/1993	Snyder	
D344,457 S	2/1994	Prevot et al.	
D345,693 S	4/1994	Edstrom	
5,303,834 A	4/1994	Krishnakumar et al.	
D348,606 S	7/1994	Edstrom	
5,337,909 A	8/1994	Vaillencourt	
5,341,946 A	8/1994	Vaillencourt et al.	
D352,245 S	11/1994	Krishnakumar et al.	
5,385,250 A	1/1995	Pasquale	
D370,178 S	5/1996	Petre et al.	
D372,091 S	7/1996	McCallister et al.	
D374,147 S	10/1996	Lillelund et al.	
D379,150 S	5/1997	Richardson	
D379,151 S	5/1997	Stevens	
D379,224 S	5/1997	McCallister et al.	
D379,306 S	5/1997	Peykoff	
5,632,397 A	5/1997	Fandoux et al.	
D379,760 S	6/1997	Zogg	
D379,762 S	6/1997	Zogg	
5,635,229 A	6/1997	Ray	
D382,806 S	8/1997	Wilson et al.	
5,746,339 A	5/1998	Petre et al.	
5,759,653 A	6/1998	Collette et al.	
D396,413 S	7/1998	Duboff	
D396,640 S	8/1998	Conrad et al.	
D397,297 S	8/1998	Yang	
D397,614 S	9/1998	Krishnakumar et al.	



D397,941 S	9/1998	Lauth	
D398,538 S	9/1998	Fuquen et al.	
D398,539 S	9/1998	Guislain	
D399,424 S	10/1998	Young	
D401,860 S	12/1998	Mentasti Granelli	
D403,587 S	1/1999	Thornley et al.	
D404,306 S	1/1999	Steinke	
D407,649 S	4/1999	McCallister et al.	
D411,453 S	6/1999	Piccioli et al.	
5,908,128 A	6/1999	Krishnakumar et al.	
D434,664 S *	12/2000	Bretz et al.	D9/520
D435,795 S *	1/2001	Bretz et al.	D9/520
D445,026 S *	7/2001	Bretz et al.	D9/434
D445,031 S *	7/2001	Bretz et al.	D9/502
D445,034 S *	7/2001	Bretz et al.	D9/520
D445,035 S *	7/2001	Bretz et al.	D9/520
D445,333 S *	7/2001	Bretz et al.	D9/434
D448,670 S *	10/2001	Bretz et al.	D9/520
D448,997 S *	10/2001	Allen et al.	D9/520
D471,452 S *	3/2003	Bretz et al.	D9/434
D512,312 S *	12/2005	Bretz et al.	D9/500

FOREIGN PATENT DOCUMENTS

JP	1009146	1/1989
PH	5553	2/1993

OTHER PUBLICATIONS

Picture of Gatorade "The Gripper" bottle, shown to consumers Jun. 29, 1996.

Pictures of 24 oz. E.D.G.E. (Ergonomic/Worm) Bottles, exhibited to consumers Dec. 9, 1996.

* cited by examiner

Primary Examiner — Lucy Lieberman
(74) *Attorney, Agent, or Firm* — Banner & Witcoff, Ltd.

(57) **CLAIM**

The ornamental design for a bottle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a bottle showing a first embodiment of our bottle design;
 FIG. 2 is a front view of the bottle depicted in FIG. 1;
 FIG. 3 is a side view of the bottle depicted in FIG. 2 representing a partial rotation of the bottle about its vertical center axis from the front view depicted in FIG. 2;
 FIG. 4 is another side view of the bottle depicted in FIGS. 2 and 3 representing a partial rotation of the bottle about its vertical center axis from the front view depicted in FIG. 2 and the side view depicted in FIG. 3;
 FIG. 5 is another side view of the bottle depicted in FIGS. 2, 3 and 4 representing a partial rotation of the bottle about its vertical center axis from the front view depicted in FIG. 2 and the side views depicted in FIGS. 3 and 4;
 FIG. 6 is a top view of the bottle depicted in FIG. 2;
 FIG. 7 is a bottom view of the bottle depicted FIG. 2;
 FIG. 8 is a perspective view of a second embodiment of a bottle as depicted in FIG. 1;
 FIG. 9 is a front view of the bottle depicted in FIG. 8;
 FIG. 10 is a side view of the bottle depicted in FIG. 9 representing a partial rotation of the bottle about its vertical center axis from the front view depicted in FIG. 9;
 FIG. 11 is another side view of the bottle depicted in FIGS. 9 and 10 representing a partial rotation of the bottle about its

vertical center axis from the front view depicted in FIG. 9 and the side view depicted in FIG. 10;
 FIG. 12 is another side view of the bottle depicted in FIGS. 9, 10 and 11 representing a partial rotation of the bottle about its vertical center axis from the front view depicted in FIG. 9 and the side views depicted in FIGS. 10 and 11;
 FIG. 13 is a top view of the bottle depicted in FIG. 9;
 FIG. 14 is a bottom view of the bottle depicted FIG. 9;
 FIG. 15 is a perspective view of a third embodiment of a bottle as depicted in FIG. 1;
 FIG. 16 is a front view of the bottle depicted in FIG. 15;
 FIG. 17 is a side view of the bottle depicted in FIG. 16 representing a partial rotation of the bottle about its vertical center axis from the front view depicted in FIG. 16;
 FIG. 18 is another side view of the bottle depicted in FIGS. 16 and 17 representing a partial rotation of the bottle about its vertical center axis from the front view depicted in FIG. 16 and the side view depicted in FIG. 17;
 FIG. 19 is another side view of the bottle depicted in FIGS. 16, 17 and 18 representing a partial rotation of the bottle about its vertical center axis from the front view depicted in FIG. 16 and the side views depicted in FIGS. 17 and 18;
 FIG. 20 is a top view of the bottle depicted in FIG. 16;
 FIG. 21 is a bottom view of the bottle depicted FIG. 16;
 FIG. 22 is a perspective view of a fourth embodiment of a bottle as depicted in FIG. 1;
 FIG. 23 is a front view of the bottle depicted in FIG. 22;
 FIG. 24 is a side view of the bottle depicted in FIG. 23 representing a partial rotation of the bottle about its vertical center axis from the front view depicted in FIG. 23;
 FIG. 25 is another side view of the bottle depicted in FIGS. 23 and 24 representing a partial rotation of the bottle about its vertical center axis from the front view depicted in FIG. 23 and the side view depicted in FIG. 24;
 FIG. 26 is another side view of the bottle depicted in FIGS. 23, 24 and 25 representing a partial rotation of the bottle about its vertical center axis from the front view depicted in FIG. 23 and the side views depicted in FIGS. 24 and 25;
 FIG. 27 is a top view of the bottle depicted in FIG. 23; and
 FIG. 28 is a bottom view of the bottle depicted FIG. 23.
 FIG. 29 is a perspective view of a fifth embodiment of a bottle as depicted in FIG. 1;
 FIG. 30 is a front view of the bottle depicted in FIG. 29;
 FIG. 31 is a side view of the bottle depicted in FIG. 30 representing a partial rotation of the bottle about its vertical center axis from the front view depicted in FIG. 30;
 FIG. 32 is another side view of the bottle depicted in FIGS. 30 and 31 representing a partial rotation of the bottle about its vertical center axis from the front view depicted in FIG. 30 and the side view depicted in FIG. 31;
 FIG. 33 is another side view of the bottle depicted in FIGS. 30, 31 and 32 representing a partial rotation of the bottle about its vertical center axis from the front view depicted in FIG. 30 and the side views depicted in FIGS. 31 and 32;
 FIG. 34 is a top view of the bottle depicted in FIG. 30; and
 FIG. 35 is a bottom view of the bottle depicted FIG. 30.
 The uneven-length broken lines represent unclaimed boundaries of the claimed design. The even-length broken lines showing the remainder of the BOTTLE are for environmental purposes only and does not form part of the claimed design.

FIG. 1




FIG. 2




FIG. 6




FIG. 7



FIG. 3




FIG. 4




FIG. 5




FIG. 8




FIG. 9




FIG. 13




FIG. 14



FIG. 10




FIG. 11




FIG. 12




FIG. 15




FIG. 16




FIG. 20




FIG. 21



FIG. 17




FIG. 18




FIG. 19




FIG. 22




FIG. 23




FIG. 27




FIG. 28



FIG. 24




FIG. 25




FIG. 26




FIG. 29




FIG. 30




FIG. 34




FIG. 35



FIG. 31




FIG. 32




FIG. 33

