

US00D646301S

(12) **United States Design Patent**
Naitoh

(10) **Patent No.:** **US D646,301 S**
(45) **Date of Patent:** **** Oct. 4, 2011**

(54) **SHOE FOR SWASH PLATE TYPE COMPRESSOR**

(76) Inventor: **Shuichi Naitoh**, Mie-Gun (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/355,058**

(22) Filed: **Feb. 2, 2010**

(30) **Foreign Application Priority Data**

Aug. 11, 2009 (JP) 2009-018374

(51) **LOC (9) Cl.** **15-01**

(52) **U.S. Cl.** **D15/5**

(58) **Field of Classification Search** D15/5,
D15/7-9; D23/231, 232, 225; 417/60, 235,
417/265, 321, 355, 358, 363, 359, 410.1,
417/415-416, 405, 900, 269; 60/408, 412;
184/26-37; 415/140-147; 123/495, 509;
74/60; 92/71; D6/491, 495, 512; D8/374,
D8/352, 380, 499

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,030,649	A *	2/1936	Miller	16/42 R
4,420,986	A *	12/1983	Nakayama et al.	74/60
4,662,267	A *	5/1987	Kaku et al.	92/71
4,683,804	A *	8/1987	Futamura et al.	92/71
5,228,841	A *	7/1993	Kimura et al.	417/222.2
5,362,154	A *	11/1994	Wiesen	384/11
D364,179	S *	11/1995	Brush	D15/148
5,483,867	A *	1/1996	Ikeda et al.	92/71

D376,154	S *	12/1996	Thirumalaisamy et al.	D15/5
5,784,950	A *	7/1998	Kayukawa et al.	92/71
6,024,010	A *	2/2000	Kato et al.	92/71
6,435,047	B1 *	8/2002	Kitagawa et al.	74/60
6,477,938	B1 *	11/2002	Nakayama et al.	92/71
D467,341	S *	12/2002	Meyer et al.	D24/155
6,524,079	B1 *	2/2003	Kimura et al.	417/269
6,626,084	B1 *	9/2003	Nakayama et al.	92/71
6,640,690	B2 *	11/2003	Sugiura et al.	92/71
6,644,172	B1 *	11/2003	Nakayama et al.	92/71
6,688,212	B2 *	2/2004	Iizuka	92/71
7,201,566	B2 *	4/2007	Casar et al.	417/269
7,651,273	B2 *	1/2010	Kanemitsu et al.	384/26
7,713,610	B2 *	5/2010	Kanemitsu et al.	428/156
7,849,783	B2 *	12/2010	Peng	92/153

* cited by examiner

Primary Examiner — Ralf Seifert

(74) *Attorney, Agent, or Firm* — Burr & Brown


(57) **CLAIM**

The ornamental design for a shoe for swash plate type compressor, as shown and described.

DESCRIPTION

FIG. 1 is perspective view of a shoe for swash plate type compressor illustrating my new design;
FIG. 2 a front elevational view, the rear elevational view being a mirror image thereof;
FIG. 3 is a right side elevational view, the left side elevational view being a mirror image thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof; and,
FIG. 6 is a bottom perspective view thereof.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6