



US00D646368S

(12) **United States Design Patent**
Osendorf et al.

(10) **Patent No.:** **US D646,368 S**
(45) **Date of Patent:** **** Oct. 4, 2011**

(54) **FILTER CARTRIDGE**

(75) Inventors: **Richard Osendorf**, St. Paul, MN (US);
Dolan Bartels, Delphi, IN (US);
Andrew Albitz, Mulberry, IN (US);
Bradley Kuempel, Eden Prairie, MN
(US)

(73) Assignee: **Donaldson Company, Inc.**,
Minneapolis, MN (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/308,264**

(22) Filed: **Jun. 6, 2008**

(51) **LOC (9) Cl.** **23-04**

(52) **U.S. Cl.** **D23/365**

(58) **Field of Classification Search** D23/365,
D23/363, 358, 386, 354, 341, 364, 366, 351,
D23/393, 269, 262; 55/385.3, 502, 497,
55/506, 505, 521, 495, 422, 493, DIG. 30;
210/497.1; D15/5; 277/606

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,962,121	A	11/1960	Wilber	
3,147,100	A	9/1964	Wilber	
3,201,927	A	8/1965	Wächter	
3,295,680	A	1/1967	Wilber	
4,007,941	A *	2/1977	Stancati	277/606
4,135,899	A	1/1979	Gauer	
4,138,234	A	2/1979	Kubesa	
4,159,197	A	6/1979	Schuler et al.	
4,211,543	A	7/1980	Tokar et al.	
4,243,397	A	1/1981	Tokar et al.	
4,314,832	A	2/1982	Fox	
4,365,980	A	12/1982	Culbert et al.	
4,402,830	A	9/1983	Pall	
4,443,237	A	4/1984	Ulvestad	
4,491,460	A	1/1985	Tokar	
4,609,465	A	9/1986	Miller	

D289,078	S *	3/1987	Vassallo et al.	D23/269
4,720,292	A	1/1988	Engel et al.	
5,474,337	A	12/1995	Nepsund et al.	
5,613,992	A	3/1997	Engel	
D386,246	S *	11/1997	Sonden et al.	D23/262
5,730,769	A	3/1998	Dungs et al.	
5,779,903	A	7/1998	Smith et al.	
5,938,804	A	8/1999	Engel et al.	
5,954,849	A	9/1999	Berkhoel et al.	
5,972,063	A	10/1999	Dudrey et al.	
D427,668	S *	7/2000	Stout, Jr.	D23/262
D427,673	S *	7/2000	Stout, Jr.	D23/393
D435,090	S *	12/2000	Stout, Jr.	D23/269

(Continued)

FOREIGN PATENT DOCUMENTS

EP 0329659 8/1989

(Continued)

Primary Examiner — David Muller

(74) *Attorney, Agent, or Firm* — Merchant & Gould P.C.

(57) **CLAIM**

The ornamental design for filter cartridge, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a filter cartridge according to the present design.

FIG. 2 is a first side elevational view of the filter cartridge of FIG. 1.

FIG. 3 is a second side elevational view, taken of a side opposite FIG. 2.


FIG. 4 is a third side elevational view, taken from the right toward the left with respect to the view of FIG. 2.

FIG. 5 is a fourth side elevational view opposite the view of FIG. 4.

FIG. 6 is a top plan view of the filter cartridge of FIG. 1; and, FIG. 7 is a bottom plan view of the filter cartridge of FIG. 1.

The broken lines in the drawings form no part of the claimed design.

1 Claim, 7 Drawing Sheets



US D646,368 S

Page 2

U.S. PATENT DOCUMENTS

D437,034 S * 1/2001 Stout, Jr. D23/269
6,187,073 B1 2/2001 Gieseke et al.
6,358,292 B1 * 3/2002 Clements 55/505
D475,447 S * 6/2003 Stout, Jr. D23/393
D475,449 S * 6/2003 Stout, Jr. D23/393
D475,780 S * 6/2003 Stout, Jr. D23/393
6,652,614 B2 11/2003 Gieseke et al.
D534,253 S * 12/2006 Sandman et al. D23/269
7,303,604 B2 * 12/2007 Gieseke et al. 55/385.3

2008/0041026 A1 2/2008 Engel et al.
2008/0066435 A1 3/2008 Engel et al.
2010/0037570 A1 2/2010 Osendorf et al.

FOREIGN PATENT DOCUMENTS

GB 2 005 777 4/1979
JP 6-193524 7/1994
JP 6-207561 7/1994
WO WO 93/10881 6/1996

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

