



US00D646425S

(12) **United States Design Patent**
Crosby

(10) **Patent No.:** **US D646,425 S**

(45) **Date of Patent:** **** Oct. 4, 2011**

(54) **WALL SCONCE**

(75) **Inventor:** **Doyle Crosby, San Rafael, CA (US)**

(73) **Assignee:** **Boyd Lighting Fixture Company, San Francisco, CA (US)**

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/390,434**

(22) **Filed:** **Apr. 25, 2011**

(51) **LOC (9) Cl.** **26-03**

(52) **U.S. Cl.** **D26/85**

(58) **Field of Classification Search** D26/72,
D26/85, 87, 91; 362/147, 404-408, 432
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|---------------|---------|---------------------|------------|
| D114,329 S * | 4/1939 | Weiland | D26/86 |
| D162,345 S * | 3/1951 | Roney | D23/366 |
| 2,824,216 A * | 2/1958 | Brennan | 362/311.03 |
| D286,206 S * | 10/1986 | Joosten et al. | D26/85 |
| D384,433 S * | 9/1997 | Littman | D26/85 |
| D388,213 S * | 12/1997 | Littman et al. | D26/85 |
| 5,727,869 A | 3/1998 | Crosby | |
| D394,726 S | 5/1998 | Crosby | |
| D402,074 S | 12/1998 | Crosby | |
| D403,796 S | 1/1999 | Crosby | |
| D407,521 S | 3/1999 | Crosby | |
| D408,576 S | 4/1999 | Crosby | |
| D409,789 S | 5/1999 | Crosby | |
| D441,119 S | 4/2001 | Crosby | |
| D441,125 S | 4/2001 | Crosby | |
| D441,487 S | 5/2001 | Crosby | |
| D442,317 S | 5/2001 | Crosby | |
| D454,971 S | 3/2002 | Crosby | |
| D455,223 S | 4/2002 | Crosby | |
| D456,932 S | 5/2002 | Crosby | |
| D486,600 S * | 2/2004 | Coe | D26/85 |
| D494,305 S | 8/2004 | Crosby | |
| D503,241 S | 3/2005 | Crosby | |

| | | | |
|--------------|---------|----------------------|--------|
| D532,146 S | 11/2006 | Crosby | |
| D532,147 S | 11/2006 | Crosby | |
| D536,468 S | 2/2007 | Crosby | |
| D536,820 S | 2/2007 | Crosby | |
| D544,131 S * | 6/2007 | Blackman | D26/85 |
| D550,885 S | 9/2007 | Crosby | |
| D552,783 S * | 10/2007 | Brunner | D26/85 |
| D558,912 S | 1/2008 | Crosby | |
| D567,989 S * | 4/2008 | Goetz-Schaefer | D26/89 |
| D589,639 S * | 3/2009 | Silver | D26/85 |
| D622,437 S | 8/2010 | Crosby | |
| D629,954 S * | 12/2010 | Compton | D26/85 |
| D639,995 S * | 6/2011 | Compton | D26/85 |

* cited by examiner

Primary Examiner — Clare E Heflin

(74) *Attorney, Agent, or Firm* — Heslin Rothenberg Farley & Mesiti P.C.



(57) **CLAIM**

The ornamental design for a wall sconce, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a wall sconce in accordance with the new design;
 FIG. 2 is a front elevational view thereof;
 FIG. 3 is a right elevational view thereof;
 FIG. 4 is a left elevational view thereof;
 FIG. 5 is a bottom view thereof;
 FIG. 6 is a perspective view of an alternative embodiment of the wall sconce having a translucent panel in accordance with the new design;
 FIG. 7 is a front elevational view thereof;
 FIG. 8 is a right side elevational view thereof;
 FIG. 9 is a left side elevational view thereof; and,
 FIG. 10 is a bottom view thereof.
 The broken lines shown on the drawings depict environment only and form no part of the claimed design.

1 Claim, 10 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10