

US00D646425S

(12) **United States Design Patent**  
**Crosby**

(10) **Patent No.:** **US D646,425 S**

(45) **Date of Patent:** **\*\* Oct. 4, 2011**

(54) **WALL SCONCE**

(75) **Inventor:** **Doyle Crosby, San Rafael, CA (US)**

(73) **Assignee:** **Boyd Lighting Fixture Company, San Francisco, CA (US)**

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/390,434**

(22) **Filed:** **Apr. 25, 2011**

(51) **LOC (9) Cl.** ..... **26-03**

(52) **U.S. Cl.** ..... **D26/85**

(58) **Field of Classification Search** ..... D26/72,  
D26/85, 87, 91; 362/147, 404-408, 432  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D114,329 S *	4/1939	Weiland	.....	D26/86
D162,345 S *	3/1951	Roney	.....	D23/366
2,824,216 A *	2/1958	Brennan	.....	362/311.03
D286,206 S *	10/1986	Joosten et al.	.....	D26/85
D384,433 S *	9/1997	Littman	.....	D26/85
D388,213 S *	12/1997	Littman et al.	.....	D26/85
5,727,869 A	3/1998	Crosby		
D394,726 S	5/1998	Crosby		
D402,074 S	12/1998	Crosby		
D403,796 S	1/1999	Crosby		
D407,521 S	3/1999	Crosby		
D408,576 S	4/1999	Crosby		
D409,789 S	5/1999	Crosby		
D441,119 S	4/2001	Crosby		
D441,125 S	4/2001	Crosby		
D441,487 S	5/2001	Crosby		
D442,317 S	5/2001	Crosby		
D454,971 S	3/2002	Crosby		
D455,223 S	4/2002	Crosby		
D456,932 S	5/2002	Crosby		
D486,600 S *	2/2004	Coe	.....	D26/85
D494,305 S	8/2004	Crosby		
D503,241 S	3/2005	Crosby		

D532,146 S	11/2006	Crosby		
D532,147 S	11/2006	Crosby		
D536,468 S	2/2007	Crosby		
D536,820 S	2/2007	Crosby		
D544,131 S *	6/2007	Blackman	.....	D26/85
D550,885 S	9/2007	Crosby		
D552,783 S *	10/2007	Brunner	.....	D26/85
D558,912 S	1/2008	Crosby		
D567,989 S *	4/2008	Goetz-Schaefer	.....	D26/89
D589,639 S *	3/2009	Silver	.....	D26/85
D622,437 S	8/2010	Crosby		
D629,954 S *	12/2010	Compton	.....	D26/85
D639,995 S *	6/2011	Compton	.....	D26/85

\* cited by examiner

*Primary Examiner* — Clare E Heflin

(74) *Attorney, Agent, or Firm* — Heslin Rothenberg Farley & Mesiti P.C.

(57) **CLAIM**



The ornamental design for a wall sconce, as shown and described.


**DESCRIPTION**

FIG. 1 is a perspective view of a wall sconce in accordance with the new design;  
 FIG. 2 is a front elevational view thereof;  
 FIG. 3 is a right elevational view thereof;  
 FIG. 4 is a left elevational view thereof;  
 FIG. 5 is a bottom view thereof;  
 FIG. 6 is a perspective view of an alternative embodiment of the wall sconce having a translucent panel in accordance with the new design;  
 FIG. 7 is a front elevational view thereof;  
 FIG. 8 is a right side elevational view thereof;  
 FIG. 9 is a left side elevational view thereof; and,  
 FIG. 10 is a bottom view thereof.


The broken lines shown on the drawings depict environment only and form no part of the claimed design.

**1 Claim, 10 Drawing Sheets**







***FIG. 1***




**FIG. 2**



***FIG. 3***




***FIG. 4***




***FIG. 5***






**FIG. 6**




**FIG. 7**






**FIG. 8**



**FIG. 9**



***FIG. 10***