

#### (12) United States Design Patent (10) Patent No.: US D646,461 S Lewando (45) Date of Patent: \*\* Oct. 11, 2011

#### (54) SPORTS BRA WITH ONE OR TWO POCKETS

(76) Inventor: Renee Lewando, Patchogue, NY (US)

(\*\*) Term: 14 Years

(21) Appl. No.: **29/375,441** 

(22) Filed: Sep. 22, 2010

#### OTHER PUBLICATIONS

Sports Bra With Built-In Ipod Holder, [on-line]; [posted to Internet Aug. 17, 2010]; [downloaded from Internet Apr. 9, 2011]; URL: <a href="http://www.brastopblog.com/sports-bra-with-built-in-ipod-holder">http://www.brastopblog.com/sports-bra-with-built-in-ipod-holder</a>>. (2 pages).\*

\* cited by examiner

Primary Examiner — Karen E Eldridge Powers
(74) Attorney, Agent, or Firm — Carter, DeLuca, Farrell & Schmidt, LLP

| (51) | LOC (9) Cl 02-01                                  |
|------|---|
| (52) | U.S. Cl   |
| (58) | Field of Classification Search D2/700,            |
|      | D2/701, 702, 703, 704, 705, 706, 707, 708,        |
|      | D2/709, 711, 721, 723, 731, 737, 793, 794,        |
|      | D2/828, 840; 2/67, 73, 76, 104, 109, 110,         |
|      | 2/113, 114, 118, 134, 913; 450/1, 2, 30,          |
|      | 450/31, 32, 36, 50, 54, 55, 56, 57, 58, 65,       |
|      | 450/70, 89  |
|      | See application file for complete search history. |

#### (56) **References Cited**

#### U.S. PATENT DOCUMENTS

| 1,391,936    | Α  | * | 9/1921  | Bosky 450/1          |
|--------------|----|---|---------|----------------------|
| 2,436,430    | А  | * | 2/1948  | Hart 450/3           |
| 2,503,847    | А  |   | 4/1950  | Shanahan             |
| 3,565,081    | А  |   | 2/1971  | Barg                 |
| 5,496,205    | А  |   | 3/1996  | Lee                  |
| D381,188     | S  | * | 7/1997  | Allen D2/706         |
| 5,708,978    | А  | * |         | Johnsrud 2/102       |
| D393,338     | S  | * | 4/1998  | Rubin D2/706         |
| D408,963     | S  |   | 5/1999  | Consolo              |
| 6,099,382    | А  | * | 8/2000  | Wilson 450/89        |
| D522,717     | S  | * | 6/2006  | Aurilia et al D2/706 |
| D529,259     | S  | * | 10/2006 | Faagau D2/706        |
| 7,364,491    | B2 | 2 | 4/2008  | Updyke               |
| 7,753,759    | B2 | 2 | 7/2010  | Pintor et al.        |
| 2002/0022433 | Al | * | 2/2002  | Yeung et al 450/70   |
| 2007/0298684 | Al | * | 12/2007 | Spagna 450/89        |
|              |    |   |         |                      |

(57) CLAIM The ornamental design for a sports bra with one or two pockets, as shown and described.

#### DESCRIPTION

FIG. 1 is a front/left side perspective view illustrating a sports bra with one or two pockets, according to a first embodiment;FIG. 2 is a front elevation view thereof;FIG. 3 is a rear elevation view of the first embodiment, where a device shown in broken lines is placed in one of the pockets thereof;

FIG. **4** is a right side elevation view thereof;

FIG. **5** is a left side elevation view thereof; FIG. **6** is a front/left side perspective view illustrating a sports bra with one or two pockets, according to a second embodiment;

FIG. 7 is a front elevation view thereof;

FIG. **8** is a rear elevation view of the second embodiment, where a device shown in broken lines is placed in the pocket thereof;

FIG. 9 is a right side elevation view thereof; and,FIG. 10 is a left side elevation view thereof.The device shown in broken lines in FIGS. 1 and 6 is environmental matter that forms no part of the claimed design.

#### 1 Claim, 6 Drawing Sheets





#### **U.S. Patent** Oct. 11, 2011 Sheet 1 of 6 US D646, 461 S



### U.S. Patent Oct. 11, 2011 Sheet 2 of 6 US D646, 461 S



**FIG. 2** 



| 11                                    |             | 11                                     |
|---------------------------------------|-------------|--|
| <u>}</u> {                            |             | 16                                     |
| 11                                    |             |  |
|                                       |             |  |
|                                       |             | 11                                     |
| <u>]</u>                              |             |  |
|                                       |             |  |
|                                       | <del></del> |  |
|                                       |             |  |
|                                       |             |  |
|                                       |             |  |
|                                       |             | ······································ |
|                                       |             |  |
| · · · · · · · · · · · · · · · · · · · |             |  |

### U.S. Patent Oct. 11, 2011 Sheet 3 of 6 US D646, 461 S



FIG. 4





| 1   |                                       |
|---|---------------------------------------|
| 11  | Í                                     |
| []  |                                       |
| 11  |                                       |
| 41  | i i i i i i i i i i i i i i i i i i i |
| 1)  |                                       |
|   | 1                                     |
| 17  | i                                     |
| <b>I</b> . <b>1</b>   | <br>                                  |
|   | <br>T                                 |
|   |                                       |
|   |                                       |
| and the state of the |                                       |
|   |                                       |
|   |                                       |
|   |                                       |
|   |                                       |

### **U.S. Patent** Oct. 11, 2011 Sheet 4 of 6 US D646, 461 S



#### **U.S. Patent** US D646,461 S Oct. 11, 2011 Sheet 5 of 6



# **FIG. 7**





| 11       |        |
|----------|--------|
| E        |        |
|          | 11     |
| 11       | 11     |
| 11       | 11     |
| łi       | 1      |
|          |        |
|          | 1      |
| <u>}</u> |        |
|          |        |
|          | ······ |
|          |        |
|          | ·····  |
|          | *****  |
|          |        |
|          | *****  |

### U.S. Patent Oct. 11, 2011 Sheet 6 of 6 US D646, 461 S



## **FIG. 9**



| £  |      |
|--|------|
|  | <br> |
| ta and the second s |      |
|  |      |
|  |      |
|  |      |
|  | <br> |
|  | <br> |
| المنديد فيسمد ويعتب فتعتم مستعدان  |      |