

US00D646573S

(12) **United States Design Patent**
Kubicek et al.

(10) **Patent No.:** **US D646,573 S**
(45) **Date of Patent:** **** Oct. 11, 2011**

(54) **BOTTLE**

(76) Inventors: **Chris A. Kubicek**, East Troy, WI (US);
Kristian Buschmann, Chicago, IL (US);
Bridget Soldan, Lisle, IL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/360,934**

(22) Filed: **May 3, 2010**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/351,939,
filed on Dec. 14, 2009.

(51) **LOC (9) Cl.** **09-01**

(52) **U.S. Cl.** **D9/522; D9/523; D9/575**

(58) **Field of Classification Search** D9/516,
D9/522–523, 538, 541, 549, 557, 562, 570;
D23/366; 215/382–384; 392/390, 392, 403;
D4/114, 116

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D86,656 S *	4/1932	Barbiers		D9/569 X
2,038,411 A	4/1936	Brody		
D123,235 S *	10/1940	Neuschaefer		D9/522
D160,209 S	9/1950	Piccoli		
3,091,396 A	5/1963	Curtin		
3,358,552 A	12/1967	Schneider		
3,588,859 A	6/1971	Petree		
3,910,495 A	10/1975	Cummings et al.		
3,940,015 A	2/1976	Gili		
4,106,671 A	8/1978	Sharples		
4,202,387 A	5/1980	Upton		
4,301,093 A	11/1981	Eck		
4,621,768 A	11/1986	Lhoste et al.		
4,660,764 A	4/1987	Joyaux et al.		
4,703,314 A	10/1987	Spani		
4,849,606 A	7/1989	Martens, III et al.		

4,883,049 A	11/1989	McDonald	
4,898,328 A	2/1990	Fox et al.	
D316,223 S *	4/1991	Dinand	 D9/575 X
D322,217 S *	12/1991	Dinand	 D9/575
5,121,881 A	6/1992	Lembeck	
5,136,684 A	8/1992	Lonker et al.	
5,402,517 A	3/1995	Gillett et al.	
5,413,244 A	5/1995	Ramsey	
5,647,052 A	7/1997	Patel et al.	

(Continued)

FOREIGN PATENT DOCUMENTS

WO WO 2008/059210 5/2008

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 29/351,927, filed Dec. 14, 2009, Inventors
Buschmann et al.

(Continued)

Primary Examiner — Carol P Rademaker

(74) *Attorney, Agent, or Firm* — Barnes & Thornburg LLP

(57) **CLAIM**

The ornamental design for a bottle, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and right side perspective view of a bottle
of the present invention;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a right side elevational view thereof;



FIG. 5 is a left side elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

The broken lines shown in the drawing are included for the
purpose of illustrating environmental structure and form no
part of the claimed design.

1 Claim, 6 Drawing Sheets



US D646,573 S

Page 2

U.S. PATENT DOCUMENTS			
5,647,053 A	7/1997	Schroeder et al.	
D386,974 S	12/1997	Wefler	
5,716,000 A	2/1998	Fox	
5,735,460 A	4/1998	Eisenbraun	
5,788,155 A	8/1998	Martin et al.	
5,810,265 A	9/1998	Cornelius et al.	
5,840,246 A	11/1998	Hammons et al.	
5,980,241 A	11/1999	Schirneker	
6,085,026 A	7/2000	Hammons et al.	
6,102,301 A	8/2000	Tiedemann	
6,104,867 A	8/2000	Stathakis et al.	
D430,659 S	9/2000	Zaragoza et al.	
D432,222 S	10/2000	Rymer et al.	
D439,319 S	3/2001	Wolpert	
6,236,807 B1	5/2001	Ruffolo et al.	
D444,220 S	6/2001	Basaganas	
6,278,840 B1	8/2001	Basaganas Millan	
6,285,830 B1	9/2001	Basaganas Millan	
D453,110 S *	1/2002	Bulsink D9/522	
D454,628 S	3/2002	Basaganas	
6,354,513 B1	3/2002	Basaganas Millan	
6,431,400 B1	8/2002	O'Maley et al.	
6,466,739 B2	10/2002	Ambrosi et al.	
6,563,091 B2	5/2003	Vieira	
6,567,613 B2	5/2003	Rymer	
6,569,387 B1	5/2003	Furner et al.	
RE38,150 E	6/2003	Greatbatch et al.	
6,580,875 B2	6/2003	Rymer	
D476,727 S	7/2003	Basaganas Millan	
D476,895 S	7/2003	Fellows et al.	
D477,066 S *	7/2003	Lonczak et al. D9/522 X	
6,594,445 B2	7/2003	Basaganas Millan	
D478,512 S *	8/2003	Duston et al. D9/522	
6,603,924 B2	8/2003	Brown et al.	
D479,804 S	9/2003	Wolpert et al.	
6,619,560 B1	9/2003	Chun	
6,622,662 B1	9/2003	Wolpert et al.	
D480,316 S	10/2003	Wolpert et al.	
6,631,888 B1	10/2003	Prueter	
6,659,301 B2	12/2003	Fellows et al.	
6,661,967 B2	12/2003	Levine et al.	
6,697,571 B2	2/2004	Triplett et al.	
6,699,432 B2	3/2004	Channer	
D488,213 S	4/2004	Millan	
6,728,478 B2	4/2004	Cox et al.	
D491,814 S	6/2004	Koenig	
6,766,773 B2	7/2004	Wolpert et al.	
6,768,865 B2	7/2004	Stathakis et al.	
6,790,408 B2	9/2004	Whitby et al.	
6,810,204 B2	10/2004	Grone et al.	
6,832,794 B2	12/2004	He et al.	
6,854,717 B2	2/2005	Millan	
6,862,403 B2	3/2005	Pedrotti et al.	
D503,621 S	4/2005	Heater	
6,885,811 B2	4/2005	He et al.	
D505,080 S *	5/2005	Cagle D9/571	
D505,330 S	5/2005	Wolpert	
6,889,003 B2	5/2005	Triplett et al.	
6,896,196 B2	5/2005	Vieira	
6,917,754 B2	7/2005	Pedrotti et al.	
6,931,202 B2	8/2005	Pedrotti et al.	
6,950,607 B2	9/2005	Yip et al.	
D510,423 S	10/2005	Caserta et al.	
D515,192 S	2/2006	Smith et al.	
7,000,808 B2	2/2006	Schuessler	
D516,692 S	3/2006	Caserta et al.	
7,014,818 B2	3/2006	Rymer	
D518,730 S	4/2006	Caserta et al.	
7,028,861 B2	4/2006	Sayers et al.	
D522,119 S	5/2006	Baraky et al.	
D533,458 S	12/2006	Weggelaar	
D533,930 S	12/2006	Keller, Jr. et al.	
D534,265 S	12/2006	Weggelaar	
D534,642 S	1/2007	Caserta et al.	
D535,735 S	1/2007	Ruiz Ballesteros et al.	
7,157,057 B2	1/2007	Gohil	
7,168,631 B2	1/2007	Jones	
D536,979 S	2/2007	Caserta et al.	
D536,980 S	2/2007	Smith et al.	
D537,351 S	2/2007	Caserta et al.	
D537,354 S	2/2007	Caserta et al.	
7,182,227 B2	2/2007	Poile et al.	
D539,892 S	4/2007	Caserta et al.	
D540,454 S	4/2007	Ruiz Ballesteros et al.	
D541,160 S	4/2007	Cortes	
7,209,650 B2	4/2007	Caserta et al.	
D542,662 S	5/2007	Caserta et al.	
D542,902 S	5/2007	Caserta et al.	
D542,903 S	5/2007	Caserta et al.	
7,223,361 B2	5/2007	Kvietok et al.	
D544,087 S	6/2007	Baraky et al.	
D547,851 S	7/2007	Anderson et al.	
7,243,859 B2	7/2007	Caserta et al.	
D548,318 S	8/2007	Copeman	
7,263,282 B2	8/2007	Meyer	
D551,334 S	9/2007	Copeman	
7,281,670 B2 *	10/2007	Lakatos et al. 239/44	
D554,532 S	11/2007	Weggelaar	
D556,311 S	11/2007	Copeman	
D556,582 S *	12/2007	Heijdenrijk D9/574 X	
D564,885 S *	3/2008	Rittman D9/522	
7,341,698 B2	3/2008	Pedrotti et al.	
D567,920 S	4/2008	Cantoni et al.	
D567,922 S	4/2008	Turchi et al.	
D567,923 S	4/2008	Turchi et al.	
7,352,960 B2	4/2008	Hafer et al.	
7,357,561 B2	4/2008	Hidalgo et al.	
D568,454 S	5/2008	Bellofatto et al.	
RE40,392 E	6/2008	Rymer et al.	
7,382,975 B2	6/2008	Caserta et al.	
D573,705 S	7/2008	Turchi et al.	
7,400,822 B2	7/2008	Ruiz Ballesteros et al.	
D574,248 S	8/2008	Baraky et al.	
7,416,766 B2 *	8/2008	Trent et al. 428/35.7	
D579,777 S	11/2008	Weggelaar	
D579,787 S	11/2008	Weggelaar	
D580,272 S	11/2008	Weggelaar	
D580,787 S	11/2008	Weggelaar	
D583,457 S	12/2008	Kay et al.	
7,467,944 B2	12/2008	Furner	
D596,730 S	7/2009	Langley et al.	
7,589,340 B2 *	9/2009	Dancs et al. 250/577	
D604,619 S	11/2009	Tebe Poves et al.	
D605,945 S	12/2009	Macaulay et al.	
D606,643 S	12/2009	Butler et al.	
D606,644 S	12/2009	Butler et al.	
D618,550 S	6/2010	De Haan	
D619,464 S *	7/2010	Langley et al. D9/575 X	
D621,712 S *	8/2010	Tomas Vilarrasa et al. D9/543 X	
D626,845 S *	11/2010	De Haan D9/522	
7,932,482 B2 *	4/2011	Norwood et al. 392/390 X	
2002/0172512 A1 *	11/2002	Stathakis et al. 392/392 X	
2004/0076553 A1	4/2004	Zobebe et al.	
2004/0190883 A1	9/2004	Kompara et al.	
2005/0094988 A1 *	5/2005	Yip et al. 392/392 X	
2005/0194344 A1	9/2005	Heater	
2006/0043619 A1	3/2006	Brown et al.	
2006/0110144 A1	5/2006	Fellows et al.	
2006/0198618 A1	9/2006	Freidel	
2006/0249593 A1	11/2006	Brown et al.	
2006/0280659 A1	12/2006	Brown et al.	
2007/0045223 A1	3/2007	Noll et al.	
2008/0056691 A1	3/2008	Wingo et al.	
2008/0099483 A1	5/2008	Anderson et al.	
2008/0099572 A1	5/2008	Tollens et al.	
2008/0156896 A1	7/2008	Anderson et al.	
2008/0217425 A1	9/2008	Butler et al.	
2008/0276523 A1	11/2008	McKechnie	
2008/0279731 A1	11/2008	Goreham et al.	
2008/0292294 A1	11/2008	Zlotnik et al.	
2009/0127282 A1	5/2009	Reynolds et al.	
2009/0132065 A1	5/2009	Reynolds et al.	
2009/0151447 A1	6/2009	Jin et al.	
2009/0184173 A1	7/2009	Duru	

FOREIGN PATENT DOCUMENTS

WO WO 2008/119953 10/2008
WO WO 2008/119956 10/2008
WO WO 2009/027668 3/2009
WO WO 2009/027670 3/2009
WO WO 2009/130235 10/2009

OTHER PUBLICATIONS

U.S. Appl. No. 29/351,934, filed Dec. 14, 2009, Inventors
Buschmann et al.

U.S. Appl. No. 29/351,935, filed Dec. 14, 2009, Inventors
Buschmann et al.
U.S. Appl. No. 29/351,938, filed Dec. 14, 2009, Inventors
Buschmann et al.
U.S. Appl. No. 29/351,939, filed Dec. 14, 2009, Inventors
Buschmann et al.
U.S. Appl. No. 29/351,943, filed Dec. 14, 2009, Inventors
Buschmann et al.
U.S. Appl. No. 29/351,946, filed Dec. 14, 2009, Inventors
Buschmann et al.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7