



US00D646708S

(12) **United States Design Patent**  
**Moritz et al.**

(10) **Patent No.:** **US D646,708 S**

(45) **Date of Patent:** **\*\* \*Oct. 11, 2011**

(54) **EYEGLASS AND EYEGLASS COMPONENT**

(75) Inventors: **Hans Karsten Moritz**, Foothill Ranch, CA (US); **Colin Baden**, Irvine, CA (US)

(73) Assignee: **Oakley, Inc.**, Foothill Ranch, CA (US)

(\* ) Notice: This patent is subject to a terminal disclaimer.

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/378,709**

(22) Filed: **Nov. 8, 2010**

**Related U.S. Application Data**

(62) Division of application No. 29/312,560, filed on Oct. 30, 2008, now Pat. No. Des. 640,727.

(51) **LOC (9) Cl.** ..... **16-06**

(52) **U.S. Cl.** ..... **D16/326**

(58) **Field of Classification Search** ..... D16/101, D16/300-342; D29/109-110; D24/110.2; 351/41, 44, 51-52, 62, 158, 92, 103-123, 351/140, 153, 45-46; 2/426-432, 447-449, 2/441, 434-437, 13, 15; D21/483, 659-661, D21/598

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D384,686 S	10/1997	Jannard et al.
D456,441 S	4/2002	Jannard et al.
D464,669 S	10/2002	Thixton et al.
D473,583 S	4/2003	Thixton et al.
D477,623 S	7/2003	Thixton et al.
D478,929 S	8/2003	Baden et al.
D496,680 S	9/2004	Yee
D513,275 S	12/2005	Yee
D539,833 S	4/2007	Chuang
D564,572 S	3/2008	Yee et al.
D565,089 S	3/2008	Moritz
D575,324 S	8/2008	Moritz
D584,335 S	1/2009	Baden et al.

D604,757 S 11/2009 Yee  
D615,580 S \* 5/2010 Baden et al. .... D16/326  
2010/0085533 A1\* 4/2010 Calilung et al. .... 351/90

\* cited by examiner

*Primary Examiner* — Raphael Barkai

(74) *Attorney, Agent, or Firm* — Knobbe Martens Olson & Bear, LLP


(57) **CLAIM**


The ornamental design for an eyeglass and eyeglass component, as shown and described.

**DESCRIPTION**


FIG. 1 is a front perspective view of an embodiment of the eyeglass and eyeglass component of the present invention; FIG. 2 is a front elevational view of the eyeglass and eyeglass component of FIG. 1; FIG. 3 is a rear elevational view of the eyeglass and eyeglass component of FIG. 1; FIG. 4 is a left-side elevational view of the eyeglass and eyeglass component of FIG. 1, the right-side elevational view being a mirror image thereof; FIG. 5 is a top plan view of the eyeglass and eyeglass component of FIG. 1; FIG. 6 is a bottom plan view of the eyeglass and eyeglass component of FIG. 1; FIG. 7 is a front perspective view of an alternative embodiment of the eyeglass and eyeglass component of the present invention; FIG. 8 is a front elevational view of the eyeglass and eyeglass component of FIG. 7; FIG. 9 is a rear elevational view of the eyeglass and eyeglass component of FIG. 7; FIG. 10 is a left-side elevational view of the eyeglass and eyeglass component of FIG. 7, the right-side elevational view being a mirror image thereof; FIG. 11 is a top plan view of the eyeglass and eyeglass component of FIG. 7; and, FIG. 12 is a bottom plan view of the eyeglass and eyeglass component of FIG. 7.

**1 Claim, 6 Drawing Sheets**







*FIG. 1*




*FIG. 2*




*FIG. 3*




*FIG. 4*




*FIG. 5*




*FIG. 6*




*FIG. 7*




*FIG. 8*




*FIG. 9*



*FIG. 10*



*FIG. 11*



*FIG. 12*