

#### (12) United States Design Patent (10) Patent No.: US D647,078 S Mori et al. (45) Date of Patent: \*\* Oct. 18, 2011

#### (54) **DIAPHRAGM FOR A SPEAKER**

- (75) Inventors: Kiyofumi Mori, Chiyoda-ku (JP);Shunji Yoshida, Chiyoda-ku (JP)
- (73) Assignee: Mitsubishi Electric Engineering Co., Ltd, Tokyo (JP)

(\*\*) Term: 14 Years

*Primary Examiner* — Nanda Bondade
(74) *Attorney, Agent, or Firm* — Sughrue Mion, PLLC

(57) **CLAIM** The ornamental design for a diaphragm for a speaker, as shown and described.

(21) Appl. No.: **29/368,021** 

(22) Filed: Aug. 17, 2010

#### (30) Foreign Application Priority Data

 Feb. 17, 2010
 (JP)
 2010-3565

 (51)
 LOC (9) Cl.
 14-01

 (52)
 U.S. Cl.
 D14/214

 (58)
 Field of Classification Search
 D14/204,

 D14/210-216, 222, 172;
 181/143-144, 147-148,

 181/150-153, 157, 198-199;
 381/300-303,

 381/306, 332-333, 336, 345, 361-364, 386-388

 See application file for complete search history.

(56) **References Cited** 

#### U.S. PATENT DOCUMENTS

D619,563 S	*	7/2010	Chen	D14/214
D621,815 S	*	8/2010	Sakai	D14/214

\* cited by examiner

#### DESCRIPTION

FIG. 1 is a perspective view of the inventive diaphragm for a speaker;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom view thereof;
FIG. 6 is a right side view thereof;
FIG. 7 is a left side view thereof;
FIG. 8 is a close-up view of the portion bounded by lines 8-8 and 8-8 in FIG. 1;
FIG. 9 is a close-up view of the portion bounded by lines 9-9 and 9-9 in FIG. 2;
FIG. 10 is a close-up view of the portion bounded by lines 10-10 in FIG. 5; and,

FIG. **11** is a reference view more clearly indicating the diaphragm and voice coil elements thereof.

1 Claim, 6 Drawing Sheets



### U.S. Patent Oct. 18, 2011 Sheet 1 of 6 US D647,078 S

### FIG. 1



.

## FIG. 2



### U.S. Patent Oct. 18, 2011 Sheet 2 of 6 US D647,078 S

FIG. 3

.



.

## FIG. 4



### U.S. Patent Oct. 18, 2011 Sheet 3 of 6 US D647,078 S



## FIG. 6

.



### U.S. Patent Oct. 18, 2011 Sheet 4 of 6 US D647,078 S

## FIG. 7

.

# FIG. 8

.



### U.S. Patent Oct. 18, 2011 Sheet 5 of 6 US D647,078 S

# FIG. 9



# FIG. 10



### U.S. Patent Oct. 18, 2011 Sheet 6 of 6 US D647,078 S

### FIG. 11



.