



US00D647519S

(12) **United States Design Patent**  
**Rothbaum et al.**

(10) **Patent No.:** **US D647,519 S**  
(45) **Date of Patent:** **\*\* Oct. 25, 2011**

(54) **CASE WITH METAL BACK FOR A CORD MANAGEMENT SYSTEM**

(75) Inventors: **Wayne Philip Rothbaum**, New York, NY (US); **Allison S. Conner**, Brooklyn, NY (US); **Robert B. Curtis**, New York, NY (US); **Jonas K. Damon**, New York, NY (US); **Daniel A. Sanchez**, Brooklyn, NY (US)

(73) Assignee: **CJD LLC**, New York, NY (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/375,648**

(22) Filed: **Sep. 24, 2010**

(51) **LOC (9) Cl.** ..... **14-03**

(52) **U.S. Cl.** ..... **D14/250**

(58) **Field of Classification Search** ..... D14/250–253, D14/440, 203.7, 217, 496, 203.3; D3/201, D3/218, 269, 301, 273, 303; D13/103; 220/4.02; 248/309.1; 361/679.56; 379/426, 433.11, 379/455; 455/575.1, 575.8; 190/100; 206/305, 206/320

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D556,681 S *	12/2007	Kim	.....	D13/103
D574,819 S *	8/2008	Andre et al.	.....	D3/269
D575,056 S	8/2008	Tan	.....	D3/218
D582,149 S	12/2008	Tan	.....	D3/218
D582,405 S	12/2008	Andre et al.	.....	D14/250
D587,267 S	2/2009	Wang	.....	D14/356
D597,515 S	8/2009	Kim	.....	D14/138 AD
D598,887 S	8/2009	Xiao et al.	.....	D14/138 AA
7,612,997 B1	11/2009	Diebel et al.	.....	361/679.56
D606,751 S *	12/2009	Andre et al.	.....	D3/269
D609,463 S *	2/2010	Bullen	.....	D3/218
D613,722 S	4/2010	Kaneta	.....	D14/138 G
D615,077 S	5/2010	Richardson et al.	.....	D14/250
D615,078 S *	5/2010	Bradley	.....	D14/250
D615,536 S *	5/2010	Richardson et al.	.....	D14/250
D616,361 S *	5/2010	Huang	.....	D13/103
D617,784 S	6/2010	Richardson et al.	.....	D14/250

D618,230 S	6/2010	Brown et al.	.....	D14/250
D619,574 S	7/2010	Richardson et al.	.....	D14/250
D622,716 S	8/2010	Andre et al.	.....	D14/250
7,782,610 B2	8/2010	Diebel et al.	.....	361/679.56
D623,180 S	9/2010	Diebel	.....	D14/250
D623,640 S	9/2010	Freeman	.....	D14/250
D624,064 S	9/2010	Esposito	.....	D14/250
D624,065 S *	9/2010	Bosch et al.	.....	D14/250
D624,304 S *	9/2010	Danze et al.	.....	D3/201
D624,532 S	9/2010	Huskinson	.....	D14/250
D624,533 S	9/2010	Richardson et al.	.....	D14/250
D624,908 S	10/2010	Huskinson	.....	D14/250
D624,909 S	10/2010	Huskinson	.....	D14/250
D626,119 S	10/2010	Fellig	.....	D14/250
D626,538 S *	11/2010	Brown et al.	.....	D14/250
D626,746 S *	11/2010	Roman	.....	D3/269
D628,374 S *	12/2010	Lee et al.	.....	D3/201
D628,994 S *	12/2010	Griffin et al.	.....	D14/250
D637,592 S *	5/2011	Magness et al.	.....	D14/250
D638,005 S *	5/2011	Richardson et al.	.....	D14/250
D638,006 S *	5/2011	Chang	.....	D14/250
2002/0073516 A1	6/2002	Behar	.....	24/306
2007/0023559 A1	2/2007	Scapillato et al.	.....	242/400.1
2007/0099681 A1	5/2007	Kielland	.....	455/575.1
2007/0165371 A1	7/2007	Brandenburg	.....	361/683
2009/0114556 A1 *	5/2009	Tai et al.	.....	206/320
2010/0203931 A1 *	8/2010	Hynecek et al.	.....	455/575.8

**OTHER PUBLICATIONS**

Gizmodo Review of Metal iPhone 4 Cover, Oct. 18, 2010, <URL:http://gizmodo.com/5666388/metal-iphone-4-cover-protects-your-iphone>, retrieved from internet Jul. 1, 2011.\*

Replacement polished stainless steel back cover w/metal tabs for Apple iPhone 4; <URL:http://cnn.cn/shop/replacement-polished-stainless-steel-back-cover-metal-tabs-apple-iphone-hexagonal-pattern-p-12406.html>, retrieved from internet Jul. 1, 2011.\*

Apple iPhone 4 Bumper; <URL:http://store.apple.com/us/product/MC668ZM/B>, retrieved from internet Jul. 1, 2011.\*

iLounge review of Apple iPhone 4 Bumpers, <URL:http://www.ilounge.com/index.php/reviews/entry/apple-iphone-4-bumper/>, retrieved from internet Jul. 1, 2011.\*

\* cited by examiner



*Primary Examiner* — Rob M Spear

*Assistant Examiner* — Carla Wright

(74) *Attorney, Agent, or Firm* — Morgan, Lewis & Bockius LLP

(57) **CLAIM**

The ornamental design for a case with metal back for a cord management system, as shown and described.





**DESCRIPTION**

The present application relates to U.S. Design patent application Ser. No. 29/375,649 filed Sep. 24, 2010, entitled Case with Metal Back for a Cord Management System; U.S. Design patent application Ser. No. 29/375,651 filed Sep. 24, 2010, entitled Case with Metal Back for a Cord Management System; U.S. Design patent application Ser. No. 29/376,041 filed Sep. 30, 2010, entitled Case with Metal Back for a Cord Management System; U.S. Design patent application Ser. No. 29/385,172 filed Feb. 9, 2011, entitled Case with a Thermo-chromic Back; U.S. Design patent application Ser. No. 29/385,174 filed Feb. 9, 2011, entitled Case with a Thermo-chromic Back; U.S. Design patent application Ser. No. 29/385,175 filed Feb. 9, 2011, entitled Case with a Thermo-chromic Back; U.S. Design patent application Ser. No. 29/378,110 filed Oct. 29, 2010, entitled Case with Metal Back and Framed Front for a Cord Management System; U.S. Design patent application Ser. No. 29/378,118 filed Oct. 29, 2010, entitled Case with Metal Back and Framed Front for a Cord Management System; U.S. Design patent application Ser. No. 29/378,119 filed Oct. 29, 2010, entitled Case with Metal Back and Framed Front for a Cord Management System; U.S. Design patent application Ser. No. 29/377,918 filed Oct. 27, 2010, entitled Case with Combined Metal and Plastic Back for a Cord Management System; U.S. Design patent application Ser. No. 29/377,919 filed Oct. 27, 2010, entitled Case with Combined Metal and Plastic Back for a Cord Management System; U.S. Design patent application Ser. No. 29/377,921 filed Oct. 27, 2010, entitled Case with Combined Metal and Plastic Back for a Cord Management System; U.S. Design patent application Ser. No. 29/376,257 filed Oct. 4, 2010, entitled Case with Metal Back and Band Edge for a Cord Management System; U.S. Design patent application Ser. No. 29/376,428 filed Oct. 6, 2010, entitled Case with Metal Back and Band Edge for a Cord Management System; U.S. Design patent application Ser. No. 29/376,430 filed Oct. 6, 2010, entitled Case with Metal Back and Band Edge for a Cord Management System; and U.S. Design patent application Ser. No. 29/382,637 filed Jan. 5, 2011, entitled Case with Metal Back and Band Edge for a Cord Management System.

FIG. 1 is a rear perspective view of a first embodiment of our new design for a case with metal back for a cord management system;

FIG. 2 is a rear perspective view of a second embodiment of our new design for a case with metal back for a cord management system;

FIG. 3 is a rear view of a third embodiment of our new design for a case with metal back for a cord management system;

FIG. 4 is a first side view of Embodiments 1 and 4 through 14;

FIG. 5 is a first side view of Embodiments 2 and 3;

FIG. 6 is a second side view of Embodiments 1 and 4 through 14;

FIG. 7 is a second side view of Embodiments 2 and 3;

FIG. 8 is a top view of Embodiments 1 and 4 through 14;

FIG. 9 is a top view of Embodiment 2;

FIG. 10 is a top view of Embodiment 3;

FIG. 11 is a bottom view of Embodiments 1 and 4 through 14;

FIG. 12 is a bottom view of Embodiment 2;

FIG. 13 is a bottom view of Embodiment 3;

FIG. 14 is a rear view of Embodiments 1 and 2;

FIG. 15 is a rear view of Embodiment 3;

FIG. 16 is a front perspective view of Embodiments 1 and 4 through 14;

FIG. 17 is a front view of Embodiments 1, 2, and 4 through 14;

FIG. 18 is a front view of Embodiment 3;

FIG. 19 is a front perspective view of Embodiments 1 and 4 through 14, illustrating these embodiments in a state of use in conjunction with an unclaimed object;

FIG. 20 is a rear perspective view of Embodiment 1, illustrating this embodiment in a state of use in conjunction with two unclaimed objects;

FIG. 21 is a rear perspective view of Embodiment 1, illustrating this embodiment in a state of use in conjunction with three unclaimed objects;

FIG. 22 is another rear perspective view of Embodiment 1, illustrating this embodiment in a state of use in conjunction with three unclaimed objects;

FIG. 23 is a rear perspective view of Embodiment 4, wherein the back panel is orange;

FIG. 24 is a rear perspective view of Embodiment 5, wherein the back panel is green;

FIG. 25 is a rear perspective view of Embodiment 6, wherein the back panel is blue;

FIG. 26 is a rear perspective view of Embodiment 7, wherein the back panel is purple;

FIG. 27 is a rear perspective view of Embodiment 8, wherein the back panel is white.

FIG. 28 is a rear perspective view of Embodiment 9, wherein the back panel is black;

FIG. 29 is a rear perspective view of Embodiment 10, wherein the back panel is gray;

FIG. 30 is a rear perspective view of Embodiment 11, wherein the back panel is pink;

FIG. 31 is a rear perspective view of Embodiment 12, wherein the back panel is silver;

FIG. 32 is a rear perspective view of Embodiment 13, wherein the back panel is red;

FIG. 33 is a rear perspective view of Embodiment 14, wherein the back panel is an unpainted metal such that its color is metallic natural-silver;

FIG. 34 is an exploded rear perspective view of Embodiment 1;

FIG. 35 is an exploded rear perspective view of Embodiment 2; and,

FIG. 36 is an exploded rear perspective view of Embodiment 3.

In drawing FIGS. 23-26 and 28-32, the back panel of the case is lined for color.

In FIGS. 19-22, the broken lines depict unclaimed environment. In FIG. 19, the entire unshaded region within the front opening of the case is unclaimed environment. In FIGS. 34-36, the broken lines represent the paths along which the components of the case are exploded from each other. The broken lines and unshaded surfaces bounded by broken lines form no part of the claimed design.




FIG. 1




FIG. 2






FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10






FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16






FIG. 17




FIG. 18




FIG. 19




FIG. 20






FIG. 21




FIG. 22






FIG. 23






FIG. 24






FIG. 25




FIG. 26




FIG. 27






FIG. 28






FIG. 29




FIG. 30




FIG. 31






FIG. 32




FIG. 33






FIG. 34






FIG. 35



FIG. 36