



US00D647547S

(12) **United States Design Patent**  
**Hidaka**

(10) **Patent No.:** **US D647,547 S**

(45) **Date of Patent:** **\*\* Oct. 25, 2011**

(54) **LOWER ELECTRODE STRUCTURE FOR WELDING**

(75) Inventor: **Masato Hidaka**, Kanagawa (JP)

(73) Assignee: **SMK Co., Ltd.**, Kanagawa (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/328,257**

(22) Filed: **Nov. 21, 2008**

(30) **Foreign Application Priority Data**

Jun. 24, 2008 (JP) ..... 2008-016105  
Jun. 24, 2008 (JP) ..... 2008-016106  
Oct. 20, 2008 (JP) ..... 2008-026875

(51) **LOC (9) Cl.** ..... **15-09**

(52) **U.S. Cl.** ..... **D15/144**

(58) **Field of Classification Search** ..... D15/144,  
D15/144.1, 144.2; 219/60, 86.25, 86.33,  
219/86.61, 119, 120, 121.48, 121.52; 310/80  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D251,796 S \* 5/1979 Edin et al. .... D15/144.1  
D327,694 S \* 7/1992 Tanaka ..... D15/144  
6,870,121 B2 \* 3/2005 Beauregard et al. .... 219/86.25  
6,911,616 B2 \* 6/2005 Kilabarda et al. .... 219/86.61  
D523,044 S \* 6/2006 Hartmann ..... D15/144

7,115,832 B1 \* 10/2006 Blankenship et al. ... 219/121.48  
D599,388 S \* 9/2009 Schreck ..... D15/144  
2004/0065642 A1 \* 4/2004 Roddy et al. .... 219/119  
2004/0094519 A1 \* 5/2004 Conway et al. .... 219/121.48  
2004/0195217 A1 \* 10/2004 Conway et al. .... 219/121.48  
2005/0109738 A1 \* 5/2005 Hewett et al. .... 219/121.48

\* cited by examiner

*Primary Examiner* — Patricia Palasik

(74) *Attorney, Agent, or Firm* — Lee Fredric Sharra



(57) **CLAIM**

The ornamental designs for a lower electrode structure for welding, as shown and described.


**DESCRIPTION**

FIG. 1 is a front view of a lower electrode structure for welding showing my new design;  
FIG. 2 is back view thereof;  
FIG. 3 is a left side view thereof;  
FIG. 4 is a right side view thereof;  
FIG. 5 is a top view thereof;  
FIG. 6 is a bottom view thereof;  
FIG. 7 is a perspective view thereof with case removed showing an alternate condition of use in which a nut positioning pin is attached; and,  
FIG. 8 is a perspective view thereof with case removed showing an alternate condition of use in which a bolt positioning pin is attached.


**1 Claim, 2 Drawing Sheets**




【Fig. 1】




【Fig. 2】



【Fig. 3】




【Fig. 4】




【Fig. 5】



【Fig. 6】



【Fig. 7】



【Fig. 8】

