

US00D647548S

(12) **United States Design Patent**
Savill, Jr.

(10) **Patent No.:** **US D647,548 S**
(45) **Date of Patent:** **** Oct. 25, 2011**

(54) **ELECTRODE**

(75) **Inventor:** **Robert F. Savill, Jr.**, Levittown, NY
(US)

(73) **Assignee:** **Sulzer Metco (US), Inc.**, Westbury, NY
(US)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/382,221**

(22) **Filed:** **Dec. 30, 2010**

(51) **LOC (9) Cl.** **15-09**

(52) **U.S. Cl.** **D15/144**

(58) **Field of Classification Search** D15/144,
D15/144.1, 144.2; 138/109, 120, 155, 177,
138/DIG. 11; 219/76.16, 121.38, 121.45,
219/121.47, 121.48, 121.51, 121.52, 121.54,
219/121.55

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D231,834 S * 6/1974 Gulrich D15/144
4,701,590 A * 10/1987 Hatch 219/121.52
D295,361 S * 4/1988 Grant et al. D8/30
4,782,210 A * 11/1988 Nelson et al. 219/121.52
5,105,061 A * 4/1992 Blankenship 219/121.52
D362,860 S * 10/1995 Carkhuff D15/144
D365,345 S * 12/1995 Carkhuff D15/144
5,767,472 A * 6/1998 Walters 219/121.59
D417,459 S * 12/1999 Shintani et al. D15/144

D437,937 S * 2/2001 Bottjer D24/144
D446,530 S * 8/2001 Kuraoka et al. D15/144
D471,996 S * 3/2003 Kuen D26/4
D494,136 S * 8/2004 Vesecky D13/127
D505,963 S * 6/2005 Conway et al. D15/139
7,005,600 B2 * 2/2006 Conway et al. 219/121.5
D522,026 S * 5/2006 Colson, Jr. D15/144
D527,401 S * 8/2006 Mizuno et al. D15/144
D551,182 S * 9/2007 Furukawa et al. D10/101
D589,880 S * 4/2009 Steigleman et al. D13/131

* cited by examiner

Primary Examiner — Patricia Palasik

(74) *Attorney, Agent, or Firm* — Greenblum & Bernstein,
P.L.C.

(57) **CLAIM**

I claim the ornamental design for an electrode, as shown and
described.

DESCRIPTION

FIG. 1 is a front end perspective view of an embodiment of the
electrode;

FIG. 2 is a rear end perspective view of the embodiment
shown in FIG. 1;

FIG. 3 is a front end of the embodiment shown in FIG. 1;

FIG. 4 is a side view of the embodiment shown in FIG. 1;

FIG. 5 is a cross-sectional view of the embodiment shown in
FIG. 1 showing the shape of the electrode element taken along
line 5-5 in FIG. 4; and,

FIG. 6 is a back view of the embodiment shown in FIG. 1.

1 Claim, 6 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

