



US00D647960S

(12) **United States Design Patent**  
**Chen**

(10) **Patent No.:** **US D647,960 S**

(45) **Date of Patent:** **\*\* Nov. 1, 2011**

(54) **PEN**

(75) Inventor: **Weiyang Chen**, Ningbo (CN)

(73) Assignee: **Beifa Group Co., Ltd.**, Ningbo (CN)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/375,295**

(22) Filed: **Sep. 20, 2010**

(30) **Foreign Application Priority Data**

Mar. 20, 2010 (CN) ..... 2010 3 0139848

(51) **LOC (9) Cl.** ..... **19-06**

(52) **U.S. Cl.** ..... **D19/41**

(58) **Field of Classification Search** ..... D14/411,  
D14/431; D19/35.36, 41, 42, 43, 44, 45,  
D19/46, 47, 48, 49, 50, 51, 54, 55, 56, 57;  
D24/114; D28/7; 24/11 F, 11 P, 11 R; 401/8,  
401/34, 47, 52, 99, 100, 104, 105, 106, 107,  
401/108, 109, 131, 133, 134, 186, 192, 195,  
401/196, 198, 206, 207

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

485,592	A *	11/1892	Truitt	401/198
589,716	A *	9/1897	Graves	401/47
697,548	A *	4/1902	Schwab	401/198
822,825	A *	6/1906	Clippinger	401/206
1,450,499	A *	4/1923	Harvey	30/220
1,741,349	A *	12/1929	Sullivan	81/441
D112,278	S *	11/1938	Davis	D19/58
2,453,201	A *	11/1948	Cushman	401/207
D186,350	S *	10/1959	Lerner et al.	D28/7
D279,115	S *	6/1985	Nishida	D19/51
D302,175	S *	7/1989	Ohashi et al.	D19/43
D318,538	S *	7/1991	Shinohara	D28/7
D370,088	S	5/1996	Burns	
5,615,963	A *	4/1997	Kobayashi	401/206

D409,800	S *	5/1999	Litton	D28/77
D439,415	S *	3/2001	Mink et al.	D4/121
D447,173	S *	8/2001	Yoon	D19/43
D470,270	S *	2/2003	Tashjian et al.	D28/7
D502,217	S *	2/2005	Hung	D19/43
D517,815	S *	3/2006	Kaposi	D4/135
D536,530	S *	2/2007	Peterson	D4/121
D540,864	S	4/2007	Kato	

(Continued)

*Primary Examiner* — Karen E Eldridge Powers

(74) *Attorney, Agent, or Firm* — Christensen O'Connor Johnson Kindness PLLC

(57) **CLAIM**

The ornamental design for a pen, as shown and described.

**DESCRIPTION**

FIG. 1 is an upper front perspective view of a pen showing my new design;

FIG. 2 is a front elevation view thereof, with the rear elevation view being a mirror image of the front elevation view;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a right side elevation view thereof, with the left side elevation view being a mirror image of the right side elevation view;

FIG. 6 is an upper front perspective view of an alternate embodiment of the pen shown in FIG. 1.

FIG. 7 is a front elevation view thereof, with the rear elevation view being a mirror image of the front elevation view;


FIG. 8 is a top plan view thereof;

FIG. 9 is a bottom plan view thereof; and,

FIG. 10 is a right side elevation view thereof, with the left side elevation view being a mirror image of the right side elevation view.

The broken lines showing a portion of the bottom of the pen in FIG. 9 are included for the purpose of illustrating environment and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**




# US D647,960 S

Page 2


---

## U.S. PATENT DOCUMENTS


D573,710 S *	7/2008	Goodman et al. ....	D24/133	D628,392 S *	12/2010	Genatossio et al. ....	D4/135
D584,815 S *	1/2009	Goodman et al. ....	D24/133	2007/0253761 A1*	11/2007	May .....	401/133
				* cited by examiner			




*Fig. 1.*




*Fig. 2.*




*Fig. 3.*




*Fig. 4.*




*Fig. 5.*




*Fig. 6.*




*Fig. 7.*



*Fig. 8.*



*Fig. 9.*



*Fig. 10.*