

US00D648260S

(12) **United States Design Patent**
Ishida

(10) **Patent No.:** **US D648,260 S**
(45) **Date of Patent:** **** Nov. 8, 2011**

(54) **TIRE FOR MOTORCYCLE**

(75) Inventor: **Shingo Ishida**, Hyogo-ken (JP)

(73) Assignee: **The Goodyear Tire & Rubber Company**, Akron, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/397,815**

(22) Filed: **Jul. 21, 2011**

(30) **Foreign Application Priority Data**

Jan. 27, 2011 (JP) 2011-001696

(51) **LOC (9) Cl.** **12-15**

(52) **U.S. Cl.** **D12/571; D12/536**

(58) **Field of Classification Search** D12/510–512,
D12/536, 542–544, 569, 571, 574, 577–578,
D12/900–901; 152/209.1–209.28, 455
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D268,662 S *	4/1983	Shirashoji		D12/571
D284,648 S *	7/1986	Babl et al.		D12/536
D301,851 S	6/1989	Tomoda		D12/140
D340,424 S *	10/1993	Kawajiri		D12/571
D391,532 S *	3/1998	Lo		D12/571
D392,225 S	3/1998	Lo et al.		D12/140
D419,497 S *	1/2000	Toyozawa		D12/571
D419,925 S	2/2000	Toyozawa		D12/140
D457,485 S	5/2002	Matsumura		D12/571
D466,474 S *	12/2002	Lo		D12/571
D466,861 S	12/2002	Lo et al.		D12/571

D521,925 S	5/2006	Matsumura et al.		D12/536
D521,926 S *	5/2006	Matsumura et al.		D12/536
D581,348 S *	11/2008	Sueishi		D12/536
D583,303 S	12/2008	Sueishi		D12/536
D584,678 S *	1/2009	Sueishi		D12/536
D592,587 S	5/2009	Sueishi		D12/536
D593,933 S *	6/2009	Sueishi		D12/536
D595,637 S	7/2009	Sueishi		D12/536
D596,107 S	7/2009	Sueishi		D12/512
D597,927 S	8/2009	Sueishi		D12/536
D613,672 S *	4/2010	Larregain		D12/536
D626,498 S	11/2010	Rossignaud et al.		D12/536
D637,140 S	5/2011	Hikita		D12/536
D640,965 S	7/2011	Hikita		D12/536

* cited by examiner

Primary Examiner — Stacia Cadmus

(74) *Attorney, Agent, or Firm* — Richard B. O'Planick

(57) **CLAIM**

The ornamental design for a tire for motorcycle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire for motorcycle showing my new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the opposite side elevational view being identical thereto; and,

FIG. 4 is an enlarged fragmentary front elevational view thereof.

The top, bottom and rear elevational views are the same as the front elevational view.

1 Claim, 4 Drawing Sheets





FIG - 1




FIG - 2




FIG - 3




FIG - 4